
SKILLING - HELLE - CHRISTIANSEN - ROBERTSON Structural & Civil Engineers

PROJECT ~~THE WORLD TRADE CENTER~~ | TITLE COLUMN SPLICE DETAIL | DATE 6-7-68


REVISIONS

11-5-68


12-3-68




Elevation



Section a-a



Section b-b



Section c-c

Contractor's option to replace this P.P. weld with fillet weld. Size of fillet weld to be not less than $\frac{D-0.25}{0.707}$ (in.)

Note:

1. See notes on 10-JK2-36
2. Weld 'a' shall not be less than $D = \sqrt{\frac{T}{6}} + \frac{1}{4}$ Where T = Thickness of thinner Pl at the joint.

LICENSED PROFESSIONAL ENGINEER LESLIE E. ROBERTSON No. 34980 STATE OF NEW YORK

10-JK2-35A