


NOTES

1. FOR GENERAL NOTES, KEY TO MATERIALS, SYMBOLS, ABBREVIATIONS, FINISH SCHEDULES, DOOR SCHEDULES AND SCHEDULES OF DRAWINGS SEE DRAWING #AA-10 TO AA-15.
2. FOR COMPLETE DIMENSIONS AND NOTES IN CORE AREA SEE 1" SCALE CORE DRAWING #AA-105.
3. ALL ELEVATIONS GIVEN THUS (10'-0") ARE AS IN RELATION TO FIN. 'H' FLOOR.
4. FOR MECHANICAL AND ELECTRICAL LAYOUTS SEE RESPECTIVE ENGINEER'S DRAWINGS.
5. ALL TRENCH HEADERS TO BE PREFABRICATED STEEL OF SIZES AS SHOWN ON PLANS WITH A DEPTH OF 4½" WITH 2 SPRAY COATS OF "PITTSBURGH 333" NO. 588 ARCHITECTURAL SPECIFICATIONS FOR TYPE AND USE. ALL ELECTRICAL AND CONTRACTORS APPLIANCES SHALL BE LOCATED AND EXTENT OF TRENCH HEADERS AND FLOOR OUTLETS.
6. CORRIDOR AND TOILET LIGHTING LAYOUTS AS SHOWN FOR ALL OTHER LIGHTING SEE ELECTRICAL ENGINEERS AND ARCHITECTURAL REFLECTED CEILING PLANS.
7. FINISH FLOOR ELEVATION AND TOP OF SLAB ELEVATIONS ARE (73.0) UNLESS OTHERWISE NOTED ON PLANS.
8. WHERE NO SUSPENDED CEILINGS ARE CALLED FOR SUCH AS IN CLOSETS, STAIR PASSAGES ETC. BOTTOM ELEVATION OF ALL PIPING AND DUCTWORK SHALL BE MAINTAINED AT 8'-2" FROM FINISHED FLOOR TO PROVIDE FOR FUTURE CEILING INSTALLATION AND CLEARANCE OF FULL HEIGHT DOORS.
9. EXTENT OF PUBLIC CORRIDOR, DEMISE IS INDICATED THUS: _____

BULLETINS NOT DATED ARE IN THE PROCESS OF COMPLETION

CONTRACT NO. DRAWING date 4-1-68

NO.	DATE	DESCRIPTION	BY
1	6-8-71	A-64 GBJ	
2	1-30-70	A-54 AS	
3	1-30-70	A-55 LS	
4	5-25-69	A-17	
5	5-25-69	A-15	

REVISIONS

REVISIONS

APPROVED

CHIEF, PLANNING DIVISION

DATE

REGISTERED ARCHITECT STATE OF NEW YORK NO. 17775

THE WORLD TRADE CENTER

THE PORT OF NEW YORK AUTHORITY

MINORU YAMASAKI & ASSOCIATES
MINORU YAMASAKI, ARCHITECT

EMERY ROTH & SONS
RICHARD ROTH, ARCHITECT

WORTHINGTON, SKILLING, HELLE & JACKSON
STRUCTURAL ENGINEERS

JAROS, BAUM & BOLLES
MECHANICAL ENGINEERS

JOSEPH R. LORING & ASSOCIATES
ELECTRICAL ENGINEERS

THE PORT OF NEW YORK AUTHORITY
PAVING, UTILITIES, FOUNDATIONS

65TH FLOOR PLAN

SCALE 1/16" = 1'-0"

DRAWN

CHECKED

SCALE 1/16" = 1'-0"

DATE 12-20-68

APPROVED

SUBMITTED

A-A-102