NORTH

NOTES

1. FOR GENERAL NOTES, KEY TO MATERIALS, SYMBOLS, ABBREVIATIONS, PLUMBING SCHEDULES, DRAIN, SPRINKLER AND STANDPIPE, SEE DRAWING P-1.01 TO P-1.03.
2. FOR COMPLETE 1/8" SCALE FLOOR PLAN SEE DRAWING A-1.00.
3. ALL DIMENSIONS GIVEN ARE (UNLESS NOTED OTHERWISE) TO FINISH SURFACE.
4. FOR MECHANICAL AND ELECTRICAL LAYOUTS, SEE RESPECTIVE ENGINEERS' DRAWINGS.
5. FOR TYPICAL STAIR DETAILS SEE DWG. A-4.0-1.04 AND A-4.0-1.05.
6. ALL TRENCH HEADERS TO BE PROVIDED AT UNDERSIDE OF SLAB FOR A WIDTH OF 6'-0" WITH A DEPTH OF TWO THICKNESSES. SEE ARCHITECTURAL SPECIFICATIONS FOR TYPE AND ELECTRICAL ENGINEERS AND CONTRACTORS APPROVED SHOP DWGS. FOR LOCATION & EXTENT OF TRENCH HEADERS AND RACEWAYS.
7. FINISH FLOOR ELEVATION AND TOP OF SLAB ELEVATION ARE (2.0625") BELOW FINISHED SURFACE UNLESS NOTED.
8. PROVIDE SOAP DISPENSERS AT ALL MEN AND WOMEN'S TOILETS. COIN DISPENSERS AT EACH LAVATORY ACCESS DOORS TO SOAP DISPENSER SHALL BE LOCATED IN ACCORDANCE WITH THE CONDITIONS, SEE TYPICAL TOILET DETAILS DWG. A-4.0-1.04.
9. WHERE NO RUN CEILINGS ARE CALLED FOR, SUCH AS IN CLOSETS, STAIR RECESSES, ETC., BOTTOM ELEVATION OF ALL BEAMS AND ELECTRICAL BOXES SHALL BE MAINTAINED AT 10'-0". FURRING DOWNS ABOVE, TO PROVIDE FOR PROPER CEILING INSTALLATION AND CLEARANCE OF ALL HEIGHT ABOVE.
10. EXTENT OF PUBLIC CORRIDOR CEILING AS INDICATED THUS: _____
11. CENTER PARTITIONS ON ALL REAR PROJECTIONS 2'-0" OR MINIMUM DEPTH, WHICHEVER IS GREATER, UNLESS NOTED AND SHALL BE MAINTAINED AT FINISH FACE SURFACE. SEE TYPICAL DETAILS
12. FOR PARTITIONS AT FARES EQUIPMENT, COLUMNS AND TYPICAL PARTITION DETAILS SEE DWGS. A-4.0-1.00 TO A-4.0-1.01.

CORRIDOR

NOTE: NEW DOOR FRAME BY TENANT. DOOR SWING & RATING TO BE MAINTAINED

NOTE: NEW DOOR FRAME BY TENANT. DOOR SWING & RATING TO BE MAINTAINED

NOTE: NEW DOOR AND FRAME BY TENANT. DOOR SWING AND RATING TO BE MAINTAINED.

BULLETINS NOT DATED ARE IN THE PROCESS OF COMPLETION

CONTRACT	BID	DRAWING	Date	B-1-2-3	
			1-30-70	A-0.1	A.C.
			1-30-70	A-0.1	A.C.
			1-30-70	A-0.2	A.C.
			1-30-70	A-0.7	L.J.
6-1-71	A-0.1	L.J.	6-16-69	A-0.1	D.G.
1-15-71	A-0.2	L.C.	6-16-69	A-0.0	D.G.
6-15-71	A-1.04	D.B.L.	6-16-69	A-1.7	D.G.
6-1-71	A-1.03	L.J.	6-1-68	A-1.0	D.G.
7-12-72	A-1.7	A.M.	9-13-68	A-2.3	D.G.
5-12-72	A-1.7	A.M.	6-27-68	A-1.0	D.G.

NO.	DATE	REVISIONS	BY

NO.	DATE	REVISIONS	BY

APPROVED
CHIEF, PLANNING DIVISION
DATE

THE WORLD TRADE CENTER

THE PORT OF NEW YORK AUTHORITY

MINORU YAMASAKI & ASSOCIATES
MINORU YAMASAKI, ARCHITECT

EMERY ROTH & SONS
RICHARD ROTH, ARCHITECT

WORTHINGTON, SKILLING, HELLE & JACKSON
STRUCTURAL ENGINEERS

JAROS, BAUM & BOLLES
MECHANICAL ENGINEERS

JOSEPH R. LORING & ASSOCIATES
ELECTRICAL ENGINEERS

THE PORT OF NEW YORK AUTHORITY
PAVING, UTILITIES, FOUNDATIONS

1/8"=1'-0"

TITLE: 6TH FLOOR CORE PLAN

DESIGN		DRAWN	
CHECKED	6-1-68	TRACED	7-10-67
		APPROVED	

A-A-107