NORTH

NOTES

1. FOR GENERAL NOTES, KEY TO MATERIALS, SYMBOLS, ABBREVIATIONS ROOM SCHEDULES, DOOR SCHEDULES AND SCHEDULES, OR DRAWINGS SEE DRAWINGS A-A-1 TO A-A-4
2. FOR COMPLETE "B" SCALE FLOOR PLAN SEE DRAWING A-A-10
3. ALL ELEVATIONS GIVEN THUS (A0'0") ARE IN ADDITION TO FINISH FLOOR.
4. FOR MECHANICAL AND ELECTRICAL LAYOUTS SEE RESPECTIVE ENGINEERS DRAWINGS.
5. ALL TYPES THUS "B" SHALL BE SIMILAR TO B1A AND B1AEW
6. ALL TRENCH HEADERS TO BE FIREPROOFED AT UNDERSIDE OF SLAB FOR A WIDTH OF 4'-0" MIN. A SPRAY-ON TYPE OF FIREPROOFING. SEE ARCHITECTURAL SPECIFICATIONS FOR TYPE & ELECTRICAL ENGINEERS & CONTRACTORS APPROVED SHOP DRWGS. FOR LOCATION & EXTENT OF TRENCH HEADERS & FIREPROOFING.
7. FINISH FLOOR ELEVATIONS ARE TOP OF SLAB ELEVATIONS AND (A0'0") UNLESS OTHERWISE SHOWN OR NOTED.
8. PLUGS FOR DRAFTSTOPS AT ALL MEN AND WOMENS "C" TYPE DUCT SYSTEMS AT EACH LEVEL EACH DUCT ACCESS DOORS TO BE LOCATED IN ACCORDANCE WITH TILE CEILINGS. SEE TYPICAL TILE" SCALE SIZE "A-10-1/2".
9. WHILE NO EXPOSED CEILINGS ARE CALLED FOR, EVEN AS IN CLOSETS, STAIR, HOISTWAYS ETC., BOTTOM ELEVATION OF ALL PIPING AND ELECTRICAL SHALL BE MAINTAINED AT 8'-4" ABOVE FINISHED FLOOR, TO PROVIDE FOR FUTURE CEILING INSTALLATION AND CLEARANCE OF FULL HEIGHT DOORS.
10. EXTENT OF PUBLIC CORRIDOR CEILING IS INDICATED THUS: _____
11. CANTS ARE REQUIRED ON ALL BEAM FURRINGS OVER 36" NOMINAL (NOMINAL DIMENSION) IN ELEVATION. CANTS AND SHALL BE MINIMUM 10" FROM MEDIAL. SEE TYPICAL DETAILS
12. FOR REMOVING OF FREE STANDING COLUMNS AND TYPICAL PARTITION DETAILS SEE DRAWINGS A-AB-506 TO A-AB-512.

SECTION A/A

BULLETINS NOT DATED ARE IN THE PROCESS OF COMPLETION

CONTRACT NO. DRAWING date 5-9-66

NO.	DATE	BUL. NO.	BY
A	6-18-71	A-164	DBL
A	5-15-70	A-75	AH
A	1-30-70	A-21	AS

REVISIONS

NO.	DATE	BUL. NO.	BY
A	1-30-70	A-69	LM
A	1-30-70	A-97	LM
A	5-29-69	A-51	DHL
A	5-29-69	A-86	DHL
A	5-29-69	A-117	DHL
A	5-29-69	A-129	DHL
A	11-1-68	A-11	AM
A	8-1-68	A-10	DHL
A	7-29-68	A-8	DHL
A	5-15-68		DHL

REVISIONS

REGISTERED ARCHITECT

APPROVED

CHIEF, PLANNING DIVISION

DATE

THE WORLD TRADE CENTER

THE PORT OF NEW YORK AUTHORITY

MINORU YAMASAKI & ASSOCIATES
MINORU YAMASAKI, ARCHITECT

EMERY ROTH & SONS
RICHARD ROTH, ARCHITECT

WORTHINGTON, SKILLING, HELLE & JACKSON
STRUCTURAL ENGINEERS

JAROS, BAUM & BOLLES
MECHANICAL ENGINEERS

JOSEPH R. LORING & ASSOCIATES
ELECTRICAL ENGINEERS

THE PORT OF NEW YORK AUTHORITY
PLANNING, UTILITIES, & ENGINEERING

69th Floor - Core Plan

SCALE 1/8" = 1'-0"

DRAWN [illegible] CHECKED [illegible]

DATE 7-31-67

SCALE 1/8" = 1'-0" SHEET NO. A-A-111