NORTH

NOTES

1. FOR GENERAL NOTES, KEY TO MATERIALS, SYMBOLS, ABBREVIATIONS, FINISH SCHEDULES, DOOR SCHEDULES AND TERMINATION OF DRAWINGS SEE DRAWINGS A-1.1 TO A-1.5.
2. FOR COLUMNS & SCALE, FLOOR PLAN SEE DRAWING A-2.100.
3. ALL ELEVATIONS SHOWN THUS (16'-0") ARE IN RELATION TO PROJECT DATUM.
4. FOR MECHANICAL AND ELECTRICAL LEGENDS SEE RESPECTIVE ENGINEER'S DRAWINGS.
5. FOR TYPICAL STAIR DETAILS SEE DRAWINGS A-6.00A AND A-6.00B.
6. ALL TRENCH HEADERS TO BE FIREPROOFED AT UNDERSIDE OF SLAB FOR A WIDTH OF 4'0" WITH A SPRAY-ON TYPE FIREPROOFING. SEE ARCHITECTURAL SPECIFICATIONS FOR TYPE AND ELEC. ENGINEERS AND CONTRACTORS APPROVED SHOP DWGS. FOR LOCATION AND EXTENT OF TRENCH HEADER AND FIREPROOFING.
7. FOR FLOOR ELEVATIONS (TOP OF SLAB) ELEVATIONS ARE ROUGHED UNLESS OTHERWISE SHOWN OR NOTED.
8. THREE ROW DISPENSERS AT ALL MEN AND WOMEN'S TOILETS, ONE DISPENSER AT EACH LAVATORY. ALL DOORS TO TOILET COMPARTMENTS SHALL BE LOCATED IN ACCORDANCE WITH THE EXISTING SEE TYPICAL TOILET DETAIL A-6.1 & A-6.2.
9. WHERE NO DIMENSIONS GIVEN ARE CALLED FOR SUCH AS IF CURVED, STAIR RISERS ETC., BOTTOM ELEVATION OF ALL PIPING AND DUCTWORK SHALL BE MAINTAINED AT 6'-8" ABOVE FINISHED FLOOR, TO ENSURE FOR ENTIRE CEILING INSTALLATION AND CLEARANCE OF FULL HEIGHT DOORS.
10. EXTENT OF PUBLIC CORRIDORS, CEILING IS INDICATED THUS: ———————
11. CANTS ARE REQUIRED AND ALL BEAM PENETRATIONS OVER 12" NOMINAL (EXTERNAL) DIMENSION IN REVISED SIZE AND SHALL BE MIN. OF 1'0" FROM FLOOR-TO-FLOOR. SEE TYPICAL DETAILS.
12. FOR FIREPROOFING OF STEEL STANDING COLUMNS AND TYPICAL PARTITION DETAILS SEE DRAWINGS A-4.2 THRU A-4.4.

COL. "501" — COL. "502" — COL. "507" / "507" — COL. "503" — COL. "506"

COLUMN DETAILS

BUILDING NOT DATED ARE IN THE PROCESS OF COMPLETION

CONTRACT NO.	DRAWING	date 8-1-68	
	11-6-70	A-1.00	L.J.
	11-6-70	A-1.01	L.J.
	1-30-70	A-1.01	A.B.
	1-30-70	A-1.02	A.B.
	1-30-70	A-1.03	E.C.
6-18-71	A-1.04	7-25-69	A-1.01	L.J.
4-18-71	A-1.05	D.T.	7-25-69	A-1.02	L.J.
6-18-71	A-1.00	D.T.	7-25-69	A-1.03	L.J.
	A-1.00	LTR	7-25-69	A-1.04	L.J.
9-1-71	A-1.00	LTR	8-1-68	A-1.00	D.G.

REVISIONS — NO. | DATE | DESCRIPTION | BY

REVISIONS — NO. | DATE | DESCRIPTION | BY

APPROVED: CHIEF, PLANNING DIVISION — DATE

MINORU YAMASAKI & ASSOCIATES
MINORU YAMASAKI, ARCHITECT
WORTHINGTON, SKILLING, HELLE & JACKSON
STRUCTURAL ENGINEERS
JOSEPH R. LORING & ASSOCIATES
ELECTRICAL ENGINEERS

EMERY ROTH & SONS
RICHARD ROTH, ARCHITECT
JAROS, BAUM & BOLLES
MECHANICAL ENGINEERS
THE PORT OF NEW YORK AUTHORITY
PAVING, UTILITIES, FOUNDATIONS

THE WORLD TRADE CENTER

THE PORT OF NEW YORK AUTHORITY

TITLE: 83rd FLOOR CORE PLAN

SCALE: 1/16" = 1'-0" — DATE: 7-8-69

DRAWING NO. A-A-1411