PART PLAN AT 9TH FLOOR

PART PLAN AT 9TH FLOOR

NORTH

NOTES

1. FOR GENERAL NOTES, KEY TO MATERIALS, SYMBOLS, ABBREVIATIONS, FINISH SCHEDULES, DOOR SCHEDULES AND SCHEDULES, SEE DRAWINGS # A-A-1 TO A-A-16.
2. FOR COMPLETE ¼" SCALE FLOOR PLAN SEE DRAWING # A-A-37.
3. ALL ELEVATIONS GIVEN THUS (+101'-0") ARE IN RELATION TO FINISH FLOOR.
4. FOR MECHANICAL AND ELECTRICAL LAYOUTS SEE RESPECTIVE ENGINEERING DRAWINGS.
5. FOR TYPICAL STAIR DETAILS SEE DWGS A-A-B-201, & A-A-B-205
6. ALL TRENCH HEADERS TO BE FIREPROOFED AT UNDERSIDE OF SLAB FOR A WIDTH OF 1'-0" WITH A SPRAY-ON, TYPE FIREPROOFING. SEE ARCHITECTURAL SPECIFICATIONS FOR TYPE AND ELECTRICAL CONTRACTS AND CONTRACTOR SHOULD SHOP DRAWINGS FOR LOCATION AND EXTENT OF TRENCH HEADER AND FIREPROOFING.
7. FINISH FL. ELEVATION & TOP OF SLAB ELEVATIONS ARE (+0'-0") UNLESS OTHERWISE SHOWN ON NOTES.
8. PROVIDE SOAP DISPENSERS IN MEN AND WOMEN TOILETS. SOAP DISPENSER AT EACH LAVATORY. ACCESS DOORS TO SOAP DISPENSERS SHALL NOT BE LOCATED IN ACCORDANCE WITH THE CODE. SEE TYPICAL TOILET DETAILS, DRAWING # A-B-204.
9. WHERE NO SUSPENDED CEILINGS ARE CALLED FOR, SUCH AS IN CLOSETS, STAIR LANDINGS, ETC., BOTTOM ELEVATION OF ALL RAMPS AND OUTDOOR SHALL BE MAINTAINED 8'-0" ABOVE FINISHED FLOOR TO PROVIDE FOR FUTURE CEILING INSTALLATION AND CLEARANCE OF FULL HEIGHT DOORS.
10. EXTENT OF PUBLIC CORRIDOR CEILING IS INDICATED THUS: ———
11. CANTS ARE REQUIRED ON ALL BEAM PROJECTIONS OVER 12" HORIZONTAL (WIDTH) DIMENSION, IN BEAMTOP, SLANTS SHALL BE MINIMUM 70° FROM HORIZONTAL. SEE TYPICAL DETAILS.
12. FOR TYPICAL PARTITION DETAILS SEE DRAWINGS # A-A-B-206.10; A-A-B-212

COL. # 80C AT 9TH FL.

COLUMN DETAILS

CONTRACT NO DRAWING date 2-4-68

REVISIONS				REVISIONS			
				11-4-70	A-100	L.L.
				2-20-70	A-81	L.L.
				2-20-70	A-83	L.L.
				2-20-70	A-87	L.L.
				2-23-071	A-81	R.M.
6-18-71	A-100	D.F.		2-23-071	A-88	L.L.
6-18-71	A-100	D.F.		2-23-071	A-17	R.M.C.
6-1-71	A-183	L.L.		2-23-071	A-93	R.M.C.
12-8-70	A-100	L.L.		2-3-071	A-10	D.K.
12-8-70	A-100	L.L.		2-18-071		L.L.

BUILDING NOT APPROVED UNTIL THE APPROVAL OF ENTITY

CITY PLANNING DEPARTMENT

DATE

THE WORLD TRADE CENTER

THE PORT OF NEW YORK AUTHORITY

MINORU YAMASAKI & ASSOCIATES — MINORU YAMASAKI, ARCHITECT

EMERY ROTH & SONS — RICHARD ROTH, ARCHITECT

WORTHINGTON, SKILLING, HELLE & JACKSON — STRUCTURAL ENGINEERS

JAROS, BAUM & BOLLES — MECHANICAL ENGINEERS

JOSEPH R. LORING & ASSOCIATES — ELECTRICAL ENGINEERS

THE PORT OF NEW YORK AUTHORITY — PAVING, UTILITIES, FOUNDATIONS

TITLE: 9TH & 10TH FLOOR CORE PLAN

DRAFTING		CHECKED BY	
SCALE	1/16" = 1'-0"	DATE	7-20-72
PROJECT ENGINEER		SHEET	37
DRAWING APPROVED BY			A-A-38