NORTH

NOTES

1. FOR GENERAL NOTES, KEY TO MATERIALS, SYMBOLS, ABBREVIATIONS, FINISH SCHEDULES, DOOR SCHEDULES AND ENLARGED GP DRAWINGS SEE DRAWINGS #A1 TO A-4-9.
2. FOR COMPLETE 5" SCALE FLOOR PLAN SEE DRAWING A-4-97.
3. ALL ELEVATIONS GIVEN THUS (10'-0") ARE IN RELATION TO FINISH FLOOR.
4. FOR MECHANICAL AND ELECTRICAL LAYOUTS SEE RESPECTIVE ENGINEERS' DRAWINGS.
5. FOR TYPICAL DETAILS, DETAILS SEE DWGS #A-6-0-906 AND A-6-0-906.
6. ALL 12-INCH HEADERS TO BE FASTENED AT UNDERSIDE OF SLAB FOR A WIDTH OF 6'-0" WITH A SPALLY ON TYPE OF FASTENING. SEE ARCHITECTURAL SPECIFICATIONS FOR TYPE & ELECTRICAL ENGINEER'S & CONTRACTOR'S APPLIANCE SHOP DWGS FOR LOCATION & EXTENT OF TRENCH HEADERS & FASTENINGS.
7. FINISH FLOOR ELEVATION AND TOP OF SLAB ELEVATIONS ARE (NOTED) UNLESS OTHERWISE SHOWN OR NOTED.
8. PROVIDE SOAP DISPENSERS AT ALL MEN AND WOMEN'S TOILETS. ONE DISPENSER AT EACH LAVATORY. ACCESS DOORS TO SOAP DISPENSERS WHERE TO BE LOCATED IN RECESSES IN WITH TILE COVERING, SEE TYPICAL DWG #A-6-0-906.
9. WHERE NO HAND GRILLES ARE CALLED FOR, DOOR #5 IN CLOSETS, STORE ROOMS ETC, BOTTOM ELEVATION OF ALL PIPES AND DUCTWORK SHALL BE MAINTAINED AT 6'-6" ABOVE FINISHED FLOOR TO PROVIDE FOR POSSIBLE CEILING INSTALLATION AND CLEARANCE OF FULL HEIGHT DOORS.
10. EXTENT OF PUBLIC CIRCULATION CEILING IS INDICATED THUS _____
11. UNITS ARE REQUIRED ON ALL BEAM PROJECTIONS OVER 12" NOMINAL (12" ACTUAL) PROJECTION IN ELEVATION, SHAFTS AND SHALL BE MINIMUM 7'8" FROM HORIZONTAL. SEE TYPICAL DETAILS
12. FOR TREATMENT OF FREE STANDING COLUMNS AND TYPICAL PARTITION DETAILS SEE DRAWINGS A-6-0-906 TO A-6-0-908

BULLETINS NOT DATED ARE IN THE PROCESS OF COMPLETION

CONTRACT NO. - DRAWING date 6-1-68

			1.30.70	A-89	E.L.
			1.30.70	A-97	E.C.
			5.25.68	A-91	D.L.
			5.25.68	A-86	D.L.
			5.23.68	A-17	D.L.
6-28-71	A-184	D.M.L.	5.23.68	A-85	D.L.
6-28-71	A-186	D.M.L.	11-1-68	A-91	D.L.
9-1-71	A-183		8-1-68	A-90	E.C.
8-28-70	A-78	E.M.	6-10-68	A-2	E.C.
1.30.70	A-91	A.S.	5-16-68		J.V.L.

NO. DATE DWG. NO. BY — REVISIONS

NO. DATE DWG. NO. BY — REVISIONS

REGISTERED ARCHITECT — STATE OF NEW YORK — No. 11,910

APPROVED

CHIEF, PLANNING DIVISION

DATE

THE WORLD TRADE CENTER

THE PORT OF NEW YORK AUTHORITY

MINORU YAMASAKI & ASSOCIATES — MINORU YAMASAKI, ARCHITECT

EMERY ROTH & SONS — RICHARD ROTH, ARCHITECT

WORTHINGTON, SKILLING, HELLE & JACKSON — STRUCTURAL ENGINEERS

JAROS, BAUM & BOLLES — MECHANICAL ENGINEERS

JOSEPH R. LORING & ASSOCIATES — ELECTRICAL ENGINEERS

THE PORT OF NEW YORK AUTHORITY — PAVING, UTILITIES, FOUNDATIONS

TITLE: 63rd FLOOR CORE PLAN

DRAWN		CHECKED	
SCALE	1/8"=1'-0"	DATE	3-1-67
PROJECT ENGINEER		SHEET	OF
APPROVED		DATE	

A-A-99