NORTH

NOTES

A. FOR GENERAL NOTES, KEY TO MATERIALS, SYMBOLS, ABBREVIATIONS, FINISH SCHEDULES AND SCHEDULES OF DOORS SEE DRAWINGS A-A-01 TO A-A-04.

B. FOR COMPLETE 8" SCALE PLANS SEE DWG # A-A-100.

C. ALL ELEVATIONS GIVEN THUS (0'-0") ARE IN RELATION TO FINISH FLOOR.

D. FOR MECHANICAL AND ELECTRICAL LAYOUTS SEE RESPECTIVE ENGINEERS DRAWINGS

E. FOR TYPICAL STAIR DETAILS SEE DWGS A-A-04 AND A-A-05 TO A-A-09

F. ALL TRENCH HEADERS TO BE FIREPROOFED AT UNDERSIDE OF SLAB FOR A WIDTH OF 4'-0" WITH A SPRAY-ON TYPE FIREPROOFING SEE ARCHITECTURAL SPECIFICATIONS FOR TYPE AND SEE ENGINEERS & CONTRACTORS APPROVED SHOP DRAWINGS FOR LOCATION & EXTENT OF TRENCH HEADER AND FIREPROOFING.

G. FINISH FLOOR, ELEVATION AND TOP OF SLAB ELEVATIONS ARE (-0'-0") UNLESS OTHERWISE SHOWN OR NOTED.

H. PROVIDE SUMP DEPRESSIONS AT ALL MEN AND WOMEN'S TOILETS, ONE DEPRESSION 4" DEEP LOCATED ACCESS DOOR TO BE DEPRESSED TO BE LOCATED IN ACCORDANCE WITH TILE CONCEPTS. SEE TYPICAL TOILET DETAILS SHEET A-A15-01.

I. WHERE NO SUSPENDED CEILINGS ARE CALLED FOR, SUCH AS IN CLOSETS, STAIR PASSAGES ETC. BOTTOM ELEVATION OF ALL PIPING AND DUCTWORK SHALL BE MAINTAINED AT 8'-6" ABOVE FINISHED FLOOR TO AVOID INTERFERENCE WITH INSTALLATION AND CLEARANCE OF FULL HEIGHT DOORS.

J. EXTENT OF PUBLIC CORRIDOR, AS INDICATED THUS: [illegible]

K. CANTS ARE REQUIRED ON ALL BEAM PENETRATIONS WHEN 4½" MINIMUM (8" ACTUAL) DIMENSION IS ELEVATED. BULLETS SHALL BE 1'-0" LONG x 3'-0" WIDE (SEE TYPICAL DETAILS

L. FOR DIMENSIONS OF FIRE STANDPIPE CLOSETS AND TYPICAL PARTITION DETAILS SEE DRAWINGS A-A8-01C TO A-A8-12.

STAIR #2 — STAIR #1 — STAIR #3 — STAIR #4 — STAIR #5 — STAIR #6 — STAIR #7 — STAIR #8 — STAIR #9 — STAIR #10 — STAIR #11 — STAIR #12

A.C. PLENUM — CLOSET — CORRIDOR — ELEV. LOBBY — MEN — WOMEN — JANITOR'S CLOSET — ELEC. CL. — TELEPHONE — PANTRY — PENTHOUSE — MECH. EQUIP. ROOM — SPRINKLER VALVE ROOM — S.A./R.A. SHAFT — A.C. SHAFT — STEAM SHAFT — A.C. PIPE SHAFT — ELEV. SHAFT — B.G.

SECTION A/139 — SECTION B/139 — C/139 — D/139 — E/139 — F/139

BULLETINS NOT DATED ARE IN THE PROCESS OF COMPLETION

CONTRACT	BID	DRAWING	date 8-7-68
		5-15-70	A-13
		1-30-70	A-14
		1-30-70	A-15
		1-15-70	A-17
6-18-71	A-114	5-25-69	A-21
6-18-71	A-104	5-25-69	A-22
6-18-71	A-105	5-25-69	A-23
9-1-71	A-123	5-25-69	A-25
11-8-70	A-118	6-1-68	A-40
11-8-70	A-120	5-25-69	A-41

NO.	DATE	BUL. NO.	BY

REVISIONS

NO.	DATE	BUL. NO.	BY

REVISIONS

APPROVED

CHIEF, PLANNING DIVISION

DATE

REGISTERED ARCHITECT — STATE OF NEW YORK — No. 018760

THE WORLD TRADE CENTER

THE PORT OF NEW YORK AUTHORITY

MINORU YAMASAKI & ASSOCIATES — MINORU YAMASAKI, ARCHITECT

EMERY ROTH & SONS — RICHARD ROTH, ARCHITECT

WORTHINGTON, SKILLING, HELLE & JACKSON — STRUCTURAL ENGINEERS

JAROS, BAUM & BOLLES — MECHANICAL ENGINEERS

JOSEPH R. LORING & ASSOCIATES — ELECTRICAL ENGINEERS

THE PORT OF NEW YORK AUTHORITY — PAVING, UTILITIES, FOUNDATIONS

1/8" = 1'-0"

TITLE: 82ND FLOOR CORE PLAN

DRAWING NO. A-A-139

DATE 7-31-67

SHEET OF