NORTH

NOTES

1. FOR GENERAL NOTES, KEY TO MATERIALS, SYMBOLS, ABBREVIATIONS, FINISH SCHEDULES, DOOR SCHEDULES AND SCHEDULES OF BUILDINGS SEE DRAWINGS A-1.1 TO A-1.6.
2. FOR COMPLETE "B" SCALE FLOOR PLAN SEE DRAWING A-2.1-107.
3. ALL ELEVATIONS GIVEN THUS (+0'-0") ARE IN RELATION TO FINISH FLOOR.
4. FOR MECHANICAL AND ELECTRICAL LAYOUTS SEE RESPECTIVE ENGINEERS DRAWINGS.
5. FOR TYPICAL STEEL FRAMING SEE DWGS. A-2.1-101 AND A-2.1-102.
6. ALL TRENCH HEADERS TO BE TROUGH-TYPE 42" CONCRETE SLAB FOR A WIDTH OF 4'-0" WITH A STEEL I-BEAM TYPE PARTITIONING. SEE ARCHITECTURAL STRUCTURAL FOR TYPE AND SIZE. FOR DETAILS & CONSTRUCTION SEE DWG. A-2.1-101. FOR LOCATION & EXTENT OF TRENCH HEADER AND PARTITIONING.
7. FINISH FLOOR ELEVATION AND TOP OF SLAB ELEVATIONS ARE EQUAL UNLESS OTHERWISE SHOWN OR NOTED.
8. PROVIDE SOAP DISPENSERS AT ALL MEN AND WOMEN'S TOILETS. ONE DISPENSER AT EACH LAVATORY. ACCESS DOORS TO SHAFT OVERFLOWER VALVES TO BE LOCATED IN ACCORDANCE WITH TILE CONTROL. FOR TYPICAL TOILET DETAILS SEE DWG. A-2.1-101.
9. GUIDE TO EXPOSED COLUMNS AS CALLED FOR SUCH AS IN CORNERS, END PIERCING ETC. BOTTOM ELEVATION OF ALL PIPES AND DUCTWORK SHALL BE UNIFORM AT EACH FINISHED FLOOR TO PERMIT FOR PIPING, CEILING INSTALLATION AND CLEARANCE OF FULL HEIGHT DOORS.
10. EXTENT OF PUBLIC CORRIDOR CEILING IS INDICATED THUS: _____
11. GIANT'S ARE REQUIRED ON ALL BEAMS PENETRATING SHAFTS 48" MINIMUM (WIDTH) DIMENSION IN ELEVATION, SLEEVES AND SHALL BE MINIMUM 18" FROM HORIZONTAL. SEE TYPICAL DETAILS.
12. FOR FIREPROOFING OF FREE STANDING COLUMNS AND TYPICAL PARTITION DETAILS SEE DRAWINGS A-2.1-106 TO A-2.1-113.

NOTE: 1 HOUR CUT-AWAY WITH 3 SEPARATE LAYERS OF METAL LATH & 1" VERMICULITE PLASTER LAND TO CEILING AND WRAP COLS. FOR EXTENT OF FIREPROOFING.

CORRIDOR

BULLETINS NOT DATED ARE IN THE PROCESS OF COMPLETION			CONTRACT NO.	DRAWING DATE 2-1-68		
				1-30-70	A-51	E.C.
				1-30-70	A-53	E.C.
				1-30-70	A-67	E.C.
				5-28-69	A-31	E.C.
				5-28-69	A-36	E.C.
6-18-71	A-114	L.J.		5-28-69	A-17	E.C.
6-18-71	A-106	D.T.		6-28-69	A-19	E.C.
6-18-71	A-105	D.T.		11-1-68	A-7	M.M.
9-1-71	A-113			6-1-68	A-10	D.G.
11-9-70	A-108	L.J.		4-29-68	A-6	D.G.
NO. DATE - SUBJ. NO. BY			NO.	DATE	SUBJ. NO.	BY
REVISIONS			REVISIONS			

REGISTERED ARCHITECT — STATE OF NEW YORK

APPROVED: CHIEF, PLANNING DIVISION — DATE

THE WORLD TRADE CENTER

THE PORT OF NEW YORK AUTHORITY

MINORU YAMASAKI & ASSOCIATES — MINORU YAMASAKI, ARCHITECT
EMERY ROTH & SONS — RICHARD ROTH, ARCHITECT
WORTHINGTON, SKILLING, HELLE & JACKSON — STRUCTURAL ENGINEERS
JAROS, BAUM & BOLLES — MECHANICAL ENGINEERS
JOSEPH R. LORING & ASSOCIATES — ELECTRICAL ENGINEERS
THE PORT OF NEW YORK AUTHORITY — PARKING, UTILITIES, FOUNDATIONS

TITLE: 94TH FLOOR CORE PLAN

DRAWN		CHECKED	
SCALE	1/16"	DATE	7-30-69
PROJECT MANAGER		AGENCY	
DRAWING NUMBER	A-A-150		