NOTE:
FURNISH DUCTS ABOVE MIN 8 DEPRESS WITH 2" THICKNESS OF METAL LATH W/VERMICULITE PLASTER. HOLD TO SIZES SEE MECH. DWG. FOR EXTENT OF PERFORMING.

NOTES

1. FOR GENERAL NOTES, KEY TO ALPHABETICAL SYMBOLS, ABBREVIATIONS, FINISH SCHEDULES, DOOR, SCREENING AND SCHEDULES OF DRAWINGS SEE DRAWINGS # A-1.1 TO A-1.6.
2. FOR COMPLETE 1" SCALE FLOOR PLAN SEE DRAWING # A-3-104.
3. ALL ELEVATIONS GIVEN THUS (13'-0") ARE IN RELATION TO FINISH FLOOR.
4. FOR MECHANICAL AND ELECTRICAL LEGENDS SEE RESPECTIVE DRAWINGS BELOW NO.
5. FOR TYPICAL STAIR DETAILS SEE DRAWINGS A-3.5-104 AND A-3.5-105.
6. ALL TRENCH HEADERS TO BE INCORPORATED AT UNDERSIDE OF SLAB FOR A WIDTH OF 2'-0" WITH 3 STEEL-OR TYPE PERFORMING SEE ARCHITECTURAL SPECIFICATIONS FOR TYPE AND ELECTRICAL ENGINEERS AND CONTRACTOR'S APPROVED SHOP DRAWINGS FOR LOCATION AND EXTENT OF TRENCH HEADERS AND PERFORMING.
7. FINISH FLOOR ELEVATION AND "TOP OF SLAB ELEVATIONS ARE (10'-0") UNLESS OTHERWISE SHOWN OR NOTED.
8. PROVIDE TOILET PARTITIONS AT ALL MEN AND WOMEN'S TOILETS (SEE DRAWINGS A-3.5-104 AND A-3.5-105) AND SOAP DISPENSER VALVES TO BE LOCATED IN ACCESSIBLE AND NON-THE CONTROL SEE TYPICAL DETAILS OF TOILET ROOMS ON DRAWINGS A-3.5-104 AND A-3.5-105.
9. [illegible] CEILING HEIGHTS ARE MEASURED FROM FINISH FLOOR TO UNDERSIDE OF SLAB, EXCEPT AS NOTED. SEE SECTION ELEVATION DRAWINGS A-3.1-101 TO A-3.1-104 FOR ADDITIONAL INFORMATION.
10. EXTENT OF PUBLIC CORRIDOR CEILING IS INDICATED THUS: _____
11. GRIDS ARE REQUIRED ON ALL RAISED PARTITIONS OVER 9'0" HEIGHT (8'-6" ABOVE FINISH FLOOR) AND ALL BEARING WALLS. FOR FRAMING DETAILS SEE TYPICAL DETAILS.
12. FOR PROVISIONS OF FIRE STOPPING, CEILING AND TYPICAL PARTITION DETAILS SEE DRAWINGS A-3.05 TO A-3.10 INC.

BULLETINS NOT DATED ARE IN THE PROCESS OF PREPARATION

CONTRACT NO. DRAWING date: 2-2-68

NO.	DATE	SUB. NO.	BY
6	6-8-71	A-114	L.L.
5	4-22-71	A-144	D.Z.
4	2-1-71	A-115	L.L.
3	9-1-71	A-153	L.L.
2	1-30-70	A-61	E.C.
1	1-30-70	A-63	E.C.

REVISIONS

NO.	DATE	SUB. NO.	BY
1	1-30-70	A-67	L.L.
2	5-29-69	A-31	L.S.
3	5-23-69	A-26	L.S.
4	5-23-69	A-17	L.S.
5	5-23-68	A-23	L.S.
6	8-1-68	A-7	M.M.
7	8-1-68	A-10	D.G.
8	9-18-68	A-5	D.G.
9	1-29-68	A-6	D.G.
10	3-18-68		J.W.L.

REVISIONS

REGISTERED ARCHITECT

APPROVED
CHIEF, PLANNING DIVISION
DATE

THE WORLD TRADE CENTER
THE PORT OF NEW YORK AUTHORITY

MINORU YAMASAKI & ASSOCIATES
MINORU YAMASAKI, ARCHITECT

EMERY ROTH & SONS
RICHARD ROTH, ARCHITECT

WORTHINGTON, SKILLING, HELLE & JACKSON
STRUCTURAL ENGINEERS

JAROS, BAUM & BOLLES
MECHANICAL ENGINEERS

JOSEPH R. LORING & ASSOCIATES
ELECTRICAL ENGINEERS

THE PORT OF NEW YORK AUTHORITY
PAVING, UTILITIES, FOUNDATIONS

TITLE: 101ST FLOOR - CORE PLAN

SCALE: 1/8"=1'-0" DATE: 7-15-71

PROJECT DIRECTOR: SHEET OF

DRAWING NUMBER: A-A-155