NORTH

NOTES

1. FOR GENERAL NOTES, KEY TO MATERIALS, SYMBOLS, ABBREVIATIONS, UNITS, SCHEDULES, DOOR SCHEDULES AND SUBSCRIPTS OF DRAWINGS, SEE DRAWINGS A-1.1 TO A-1.6.
2. FOR CODE, FIRE EMERGENCY AND NOTES IN CAPS SEE DRAWINGS A-1.7 CODE DRAWING A-1.71
3. ALL ELEVATIONS GIVEN THUS (+ 41'-0") ARE IN RELATION TO PORT OF NEW YORK DATUM.
4. FOR MECHANICAL AND ELECTRICAL LAYOUTS SEE SEPARATE DRAWINGS, MARKED E.
5. ALL TRENCH HEADERS TO BE PREPARED AT UNDERSIDE OF SLAB FOR A WIDTH OF 6'-0" WITH A 2'-0" 45° FILLET, EXCEPT AS NOTED OTHERWISE.
6. SPECIFICATIONS FOR TYPE AND ELECTRICAL SERVICES AND CONTRACTORS APPROVED SHOP DRAWINGS FOR LOCATION AND OUTLET OF TRUNK, HEADER AND DISTRIBUTION.
7. CONDUCTOR AND TO-LET LIMITING LENGTH AS SHOWN, FOR ALL OTHER LIMITING SEE ELECTRICAL DRAWINGS AND ARCHITECTURAL DETAILS.
8. FINISH FLOOR ELEVATION AND TOP OF BEAM ELEVATIONS ARE (24-0") UNLESS OTHERWISE SHOWN OR NOTED.
9. WHERE NO SUSPENDED CEILINGS ARE CALLED FOR, WHICH ARE 10'-0" OR LESS, STEAM, PIPELESS ETC., BOTTOM ELEVATION OF ALL PIPING AND MECHANICAL SHALL BE MAINTAINED 11'-6" OR MORE CLEAR, TO PERMIT FULL HEIGHT CEILING INSTALLATION AND CLEARANCE OF FULL HEIGHT DOORS.
10. EXTENT OF PUBLIC CORRIDOR CEILING IS INDICATED THUS _____

A.C. & HOOD EXHAUST SHAFT

A.C. SHAFT

A.C. SHAFT

A.C. SHAFT

ESCALATOR BY OTHERS

ESCALATOR BY OTHERS

A.C. & PIPE SHAFT

AIR CONDITIONING ROOM

CLOSET

KITCHEN EXHAUST

TOILET SPACE

NOTE:
1. FOR EXACT LOCATION OF OPENINGS IN SHAFTS, SEE S.E. DWGS. TYPICAL S.E. DWGS. S-1.1 TO S-1.4, EXCEPT AS NOTED ON S-1.5.
2. OPENINGS IN SHAFTS SHALL BE COORDINATED BY CONTRACTOR WITH STRUCTURAL DRAWINGS AND ALL OTHER TRADES.
3. ALL OPENINGS SHALL BE FRAMED AS PER STRUCTURAL DETAILS, SHOP DRAWINGS SHALL BE SUBMITTED TO ARCHITECT FOR APPROVAL.
4. PLUMBING CONTRACTOR TO CUT ALL OPENINGS AND SET ALL SLEEVES FOR PLUMBING AS REQUIRED.
5. M.+E. CONTRACTOR TO CUT ALL OPENINGS AND SET ALL SLEEVES FOR ELECTRICAL AS REQUIRED.
6. SLEEVES AT FIRE ALARM TO BE 1" LARGER THAN OUTSIDE DIAMETER OF WIRE ALARM TO BE USE 1" ABOVE TOP OF SLAB.
7. SLEEVES AT THIS ALARM TO BE USE 1" ABOVE TOP OF SLAB.

DRILL EXPLORING SHAFTS (SALES) SEE TENANT ARCH. DWGS.

DRILL EXPLORING SHAFTS (SALES) SEE TENANT ARCH. DWGS.

NOTE: SEE DETAIL 15 ON THIS DRAWING & SHOP DRAWINGS

NOTE: SEE DETAILS OF DUCT OPENINGS ON SHOP DRAWINGS

A.C. SHAFT

A.C. SHAFT

PLAN SCALE: 1/4"=1'-0"

DETAIL (B) SCALE: 1 1/2"=1'-0"

SECTION A-A SCALE: 1/2"=1'-0"

DETAIL (C) SCALE: 1/2"=1'-0"

DETAILS OF DUCT OPENING SAFEING AT S.E. & S.W. CORNERS A.C. SHAFTS SCALE AS NOTED

K.E. FLUE

ELEV. MOTOR GENERATOR & CONTROL RM.

ELEV. MACH. RM.

KITCHEN EXH.

ELEV. SHAFT

SECT. (4/70) THRU: KITCHEN ELEV.

1/8"=1'-0"

BULLETINS NOT DATED ARE IN THE PROCESS OF COMPLETION

CONTRACT NO.	BULLETIN No.	Date	DR
	6	6-18-71	A-164
	5	11-6-70	A-108
	4	8-28-70	A-78
	3	6-19-70	A-55
	2	1-30-70	A-26
5-22-68	1	1-30-70	A-25
10-1-70	1	1-30-70	A-45
8-25-70	1	8-25-70	A-40
12-17-70	1	7-22-70	A-17
12-17-70	2	7-22-70	A-17

DATE — DESCRIPTION — BY — REVISIONS

APPROVED

CHIEF, PLANNING DIVISION — DATE

REGISTERED ARCHITECT — STATE OF NEW YORK

THE WORLD TRADE CENTER
THE PORT OF NEW YORK AUTHORITY

MINORU YAMASAKI & ASSOCIATES — MINORU YAMASAKI, ARCHITECT
EMERY ROTH & SONS — RICHARD ROTH, ARCHITECT
WORTHINGTON, SKILLING, HELLE & JACKSON — STRUCTURAL ENGINEERS
JAROS, BAUM & BOLLES — MECHANICAL ENGINEERS
JOSEPH R. LORING & ASSOCIATES — ELECTRICAL ENGINEERS
THE PORT OF NEW YORK AUTHORITY — SOILS, UTILITIES, FOUNDATIONS

TITLE: 43RD FLOOR PLAN
LOWER RECITATION LEVEL

DESIGNED		DRAWN	
SCALE	1/4"=1'-0"	DATE	7-23-67
APPROVED		CHECKED	
CONTRACT NO.		SHEET NO.	

A-A-70