


PUMP BASE SCHEDULE	
PUMP SIZE	DIMENSION 'S'
5-25 H.P.	8"
30-50 H.P.	10"
OVER 50 H.P.	12"




A 113 PUMP BASE DETAIL



B 113 TYPICAL DETAIL OF SLAB OPENINGS FOR PIPES & DUCTS AT MECH. EQUIP FL.




C 113 TYPICAL DETAIL OF STEP AT MECHANICAL EQUIP FL.




D 113 DETAIL OF CONDENSATE PIT TRENCH COVER PLATE

SCALE: 3" = 1'-0"




E 113 DETAIL AT HEAD OF FIRE-RATED HOSE CABINET



NOTE: WINDOW WASHER'S TRACK DUCT FLASHING DET. SIMILAR.


F 113 TYP. ROOF CONDUIT FLASHING DET.

3" = 1'-0"




G 113 ROOF VENT STACK FLASHING DET.

3" = 1'-0"




H 113 HORIZONTAL SECTION EMERGENCY CALL BOX

HALF FULL SIZE




EMERGENCY CALL BOX ELEVATION

SCALE: ¾" = 1'-0"




J 113 VERTICAL SECTION EMERGENCY CALL BOX

HALF FULL SIZE




K 113 ELEVATOR STARTERS PANEL DETAIL.

3" = 1'-0"



L 113 FIRE HOSE CABINET DETAIL.

3" = 1'-0"



M 113 MAIL & BUNDLE BOX DETAIL.

3" = 1'-0"

NOTE:
FOR GENERAL NOTES, KEY TO MATERIALS & ABBREVIATIONS SEE DWG. AF-1 TO AF-5.

RECEIVED
OCT 23 1975
SKILLING-HELLE CHRISTIANSEN-ROBERTSON
230 PARK AVE, N.Y.C.

¾"=1'-0" 0 6" 1' 2' 3' 4'
½"=1'-0" 0 6" 1' 2' 3' 4' 5' 6'
1½"=1'-0" 0 3" 6" 1' 2'

CONTRACT BID DRAWING date 11-21-75

NO.	DATE	REVISIONS	BY
2	10-17-75	F-13	R.K.
1	7-17-74	REV. # 1	I.H.

APPROVED
CHIEF, PLANNING DIVISION
DATE

THE WORLD TRADE CENTER
THE PORT AUTHORITY OF NEW YORK AND NEW JERSEY

MINORU YAMASAKI & ASSOCIATES
MINORU YAMASAKI, ARCHITECT

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON
STRUCTURAL ENGINEERS

EMERY ROTH & SONS
RICHARD ROTH, ARCHITECT

THE PORT AUTHORITY OF NEW YORK AND NEW JERSEY
MECHANICAL, ELECTRICAL, PAVING, UTILITIES, FOUNDATIONS

TITLE: SOUTHEAST PLAZA BUILDING
MISCELLANEOUS DETAILS

DRAWN	S.O.	CHECKED	
SCALE	AS NOTED	DATE	11-15-73
PROJECT NUMBER		SHEET	OF
DRAWING NUMBER	A-F-113		