

GA FILE NO. WP1200




TYPICAL




AT BEAM OFFSET (TYPICAL)-(SIMILIAR TO WP 1200)

GA FILE NO. WP 5015



GA FILE NO. WP 1200



TYPICAL (FOR OFFSET AT BEAM SEE PARTITION TYPE <1>)


<1> ONE HOUR-RATED GWB PARTITION
ONE HOUR RATED
<1.1> 1 HR RATED — WITH TILE BACKER ON ONE SIDE

<1.2> ONE HOUR-RATED CHASE WALL
1 HR RATED — W/1 LAYER GWB BOTH SIDES & SOUND ATTEN. BATTS


<1.3> MODIFIED EXISTING PARTITION
1 HR RATED — USE TYPE "X" GWB AT EACH SIDE
<1.4> 1 HR RATED — USE TYPE "X" GWB W/ TILE BACKER BOARD @ ONE SIDE

1 HOUR RATED PARTITIONS

GA FILE NO. WP 1711




TYPICAL




AT BEAM OFFSET (SIMILIAR TO WP 1711)

GA FILE NO. WP 5109




GA FILE NO. WP 5109




TYPICAL (FOR OFFSET AT BEAM SEE PARTITION TYPE <2>)

GA FILE NO. WP7055



GA FILE NO. WP7062



<2> TWO HOUR-RATED GWB PARTITION
2 HR RATED — USE TYPE "X" GWB AT EACH SIDE
<2.1> 2 HR RATED — WITH TILE BACKER ON ONE SIDE


<2.2> CHASE WALL
2 HR RATED — W/ TILE BACKER BOARD @ ONE SIDE

<2.3> MODIFIED EXISTING PARTITION
2 HR RATED — USE 2 LAYERS TYPE "X" GWB AT EACH SIDE.
<2.4> 2 HR RATED — USE 2 LAYERS TYPE "X" GWB AT EACH SIDE W/ TILE BACKER BOARD @ ONE SIDE


<2.5> SHAFT WALL
2 HR RATED

<2.6> SHAFT WALL
2 HR RATED


2 HOUR RATED PARTITIONS





TYPICAL



AT BEAM OFFSET








<4> BOX BEAMS
N.T.S.

<1> NON-RATED GWB PARTITION
NON-RATED
<1.1> WITH TILE BACKER BOARD @ ONE SIDE

<1.2> NON-RATED CHASE WALL
NON-RATED
<1.3> WITH TILE BACKER BOARD @ ONE SIDE

<1.1> NON-RATED GWB PARTITION
NON-RATED
<1.2> WITH TILE BACKER BOARD @ ONE SIDE

NON-RATED PARTITIONS




<4> FURRED GWB

NON-RATED PARTITION

GENERAL NOTES:

1.) IN ALL RATED WALLS – DO NOT SECURE GYP. BD. TO TOP CHANNEL RUNNER.
2.) FOR WALL FINISHES SEE FINISH SCHEDULE
3.) FOR WALL BASE TYPE SEE FINISH SCHEDULE
4.) AT WALL MOUNTED MILLWORK LOCATIONS ON BOTH FLOORS 106 AND 107, MISCELLANEOUS STEEL FLOOR TO UNDERSIDE OF DECK STEEL SUPPORT FRAMING AND ACCESSORIES WILL BE REQUIRED. SUCH FRAMING WILL BE PART OF PROCCEEDING ARCHITECTURAL PACKAGES AND SHOULD BE CONSIDERED IN LAYOUT PACKAGE. DD ADDENDUM SKETCHES CONTAIN DIAGRAMATIC LAYOUTS OF THESE UNITS.
5.) FOR GENERAL IN-WALL BLOCKING AND SUPPORT SEE SPECS OR PROVIDE AS REQUIRED. COORDINATE WITH ARCHITECURAL OR MILLWORK REQUIREMENTS.
6.) ALL NOTED RATED WALL ASSEMBLIES ARE BASED ON GYPSUM ASSOCIATION GA-600 DESIGN MANUAL AND UNDERWRITER LABORATORIES FIRE RESISTANT DIRECTORY.
7.) CONTRACTOR TO VERIFY ALL EXISTING PARTITION TYPES NOTED FOR NEW FIRE RATING UPGRADING.
8.) AT ALL EXISTING WALLS TO BE ALTERED/UPGRADED, ALL EXISTING FINISH MATERIALS ARE TO BE DEMOLISHED. EXISTING GYBSUM WALL BOARD IS TO BE PREPARED FOR FLUSH INSTALLATION OF NEW FIRE RATED GWB SO THAT ASSEMBLY COMPLIES WITH NOTED DESIGN CRITERIA. THE INTEGRITY OF THE EXISTING WALL IS NOT TO BE COMPROMISED WHILE ATTACHING NEW GWB. ALL PENETRATIONS ARE TO BE AT STUDS. EXISTING GWB IS NOT TO BE PENETRATED WHERE NO STUD EXISTS BEHIND IT.
9.) ALL GYP. BOARD IS TO CONTINUE TO UNDERSIDE OF CONCRETE SLAB.
10.) THE DRAFT CURTAIN, WHICH SHALL BE CONSTRUCTED OF NON-COMBUSTIBLE MATERIAL, SHALL EXTEND A MINIMUM OF 24" DOWN FROM THE CEILING. SEE CODE SECTION 27-345, TABLE 5-1 AND 5-2 FOOTNOTE D(2).



<8> CEILING DETAIL
N.T.S.

DETAILS

RECEIVED
OCT 11 1995
LESLIE E. ROBERTSON ASSOCIATES
211 E. 46th ST., N.Y., N.Y.C. 10017

WINDOWS ON THE WORLD
WORLD TRADE CENTER ONE
NEW YORK CITY, NEW YORK
HARDY HOLZMAN PFEIFFER ASSOCIATES

LANDLORD:
PORT AUTHORITY OF NY & NJ
1 WORLD TRADE CENTER, 66TH FLOOR WEST
NEW YORK, NEW YORK 10048

OPERATOR:
B.E. WINDOWS CORPORATION
136 8TH AVENUE
NEW YORK, NEW YORK 10010

ARCHITECT:
HARDY HOLZMAN PFEIFFER ASSOCIATES
622 3RD AVENUE, 13TH FLOOR
NEW YORK, NEW YORK 10010

M&P ENGINEER:
ALTIERI SEBOR WIEBER
37 ARBOR STREET
NORWALK, CONNECTICUT 06851

STRUCTURAL ENGINEER:
LESLIE E. ROBERTSON ASSOCIATES
211 E. 46TH STREET
NEW YORK, NEW YORK 10017

KITCHEN PLANNING:
CINI-LITTLE INTERNATIONAL INC.
900 SANDUSKY AVENUE
NEW YORK, NEW YORK 10165

A/V ACOUSTICS:
SHEN-MILSOM WILKE
1 EAST 33TH STREET
NEW YORK, NEW YORK 10016

LIGHTING:
CLINE BETTRIDGE BERNSTEIN LIGHTING
50 WEST 22ND STREET
NEW YORK, NEW YORK 10010

CODE/ ADA:
DAVID B. LEBOWITZ, P.C.
70 WEST 40TH STREET
NEW YORK, NEW YORK 10018

NO.: DATE: REVISIONS:
CONSTRUCTION DOCUMENTATION SUBMISSION
1 5/22/95 PA QUERIES/REVISIONS
2 6/9/95 PA QUERIES/REVISIONS
3 7/31/95 GENERAL REVISIONS
4 10/9/95 ISSUE FOR CONSTRUCTION

TITLE:
PARTITION TYPES

HHPA PROJECT NO. 5466.03
DATE: APRIL 24, 1995
SCALE: N.T.S.
DRAWING NO. A700

TAA 951114.07