9 1/4"
3 1/4"
3 1/8"
4 1/8"
5 13/16"
LINE OF CONCRETE PARAPET
1/8" ALUM. COPING #2-313 DURANODIC FINISH
.125 ALUM. AIR BAFFLE (BELOW COPING)
SEE SHT. W50 FOR CLOSURE PANEL DETAILS
4111CE-SL & GR
BACK OF INTERIOR COLUMN COVER
1/8" ALUM. SUPPORT ANGLE
ALUM. AIR BAFFLE
COLUMN COVER ANCHOR SEE SHT. W48
70B1HC
#12 GA. STL. BAFFLE (CONT.) (WELD TO COLUMN)
.090 ALUM. COL. COV. #1 WTC FINISH
℄ COL.
HOLD-DOWN CLIP ANGLE
NOTCH COL. COV. FLANGE TO HOLD DOWN COPING
COL. REF. LINE
1'-6 3/4"
3 1/2"
6 1/2"
1 1/2"
2 3/4"

1/W51 AIR BAFFLE AT COPING AT CORNER COLUMN COVER
AT 108TH FLOOR (LEFT END SHOWN)

FIREPROOFING
1/W52
6 X 1/2 TH. SS 5MS
.062 ALUM. END CLOSURE
5 1/2"
6 3/4"
SOFFIT

3/W51 AIR BAFFLE AT SOFFIT
BACK OF INTERIOR COL. COV.
.062 AIR BAFFLE ANGLE
#12 GA. STL. BAFFLE ANGLE
1/W51
1/8" ALUM. AIR BAFFLE WELD TO COPING
1/8" ALUM. COPING
20'-0"
BOTTOM OF SLAB
TOP OF CONC. PARAPET
6 1/2" TO COL. REF. LINE
9"
1/2"

2/W51 AIR BAFFLE AT COPING

JOB NAME
THE WORLD TRADE CENTER
THE PORT OF NEW YORK AUTHORITY
CONTRACT WTC 400.00
BULLETIN
ARCHITECT
MINORU YAMASAKI & ASSOC.
EMERY ROTH & SONS

NO.	DATE	BY	REVISIONS DESCRIPTION
1	10/11/71	J.L.	GENERAL
2	11/4/71	HP	PART SHEET
3	12/1/71	J.L.	ADD 28" ECCPR. WALL

DRAWN J.L. LINSIN
DATE 6-22-71
CHECKED

ALCOA CUPPLES PRODUCTS
CURTAINWALL TOWERS A & B

APPROVED: REE TISHMAN
TRANSMITTAL OP 10-26-71

DATE	PRINTS	TO	FOR
4-7-72	7-PTS	C.P.D.-N.Y.C.	SEE C...
4-7-72	10 PTS. 1 REPRO	TISHMAN	REC'D ...
10/21/71	7 PRINTS	CPC NY	EXECUTION
9/8/71	11 PRINTS 1 REPRO	CPC & TISHMAN	APPROVAL
6/22/71	10 PRINTS 1 REPRO	CPC & TISHMAN	APPROVAL

PRINT RECORD

108TH MER FLOOR CORNER COLUMN COVER AIR BAFFLE

JOB NUMBER AB 7/000
SHEET W51 OF