12Ga x 2 x 1

12Ga STL. BAFFLE CLOS. & ANCHOR

4060HC-2
4061HC-2

1/4-20 x 1 1/4 HH- ZINC P.M.S. W/NUT & WASHERS

3/16 2"

WELDING POINT

4054HC-10 @ 107TH FL. ONLY

1/4 4"

SEE 3/WG12 FOR DETAILS AT CORNER PANEL

4160CE-4 @ 110" CTS.

4160CE-2

NEOPRENE GASKET & ALUM SPACER

CORNER PANEL W.T.C. ANODIC FINISH COL. REF. LINE

CORNER COL. COVER

6 x 3 x 1/4 STL TUBE 13.72#

7081HC
(2) 5" x 1/2 TH. SQ. SHTS.

4063HC

5 x 5 x 3/8 STL ∠

12 GA STL PL.

TIGHT AGAINST COL. JOIN.

6'-5 1/2" TO 107TH FL.
7'-1 1/4 TO 108TH FL.

2 WG3

BAFFLE DETAIL

4047HC-1L/2R
5 x 5 x 3/8 STL ∠
1'-6" LONG

4063HC-2R
4063HC-1L (OPP.)

SHOP, WELD (CONT.)

1/4 4"

1'-0 1/4"

6"

1 WG5

CLOSURE AT CORNER COLUMN, CORNER COLUMN CONTD & TUBE (107TH & 108TH FL.)

SEE W4B FOR COL COVER DETAIL AT 108TH FL.

404THC-2
12 GA STL PLATES FIELD WELD TO 5 x 5 x 3/8 ANGLE

COL. COV. @ WINDOW @ 107TH FL. AS SHOW. SEE DET. 1 WG5

COL. COV. @ MER AREA @ 108TH FL. SEE DET. 1 WG5 2 WG5

GEN NOTE #11

CORNER COLUMN DETAIL
107TH & 108TH FL.

JOB NAME
THE WORLD TRADE CENTER
THE PORT OF NEW YORK AUTHORITY
CONTRACT WTC 4.00.00
BUILDING

ARCHITECT
MINORU YAMASAKI & ASSOC.
EMERY ROTH & SONS

NO.	DATE	BY	DESCRIPTION
1	3/24/72	JLC	VALVE NOTES
2	4/24/72	JLC	REVISED CONTR.
3	5/11/72	VPP	APPROVED

DRAWN M. PASMAN
DATE 5-25-71
CHECKED

ALCOA CUPPLES PRODUCTS

CURTAIN WALL TOWERS A & B

APPROVED! REF. TISHMAN TRANSMITTAL OF 10-26-71
③ 4-28-72

DATE	PRINTS	TO	FOR
6/5/72	2 PRINTS	TISHMAN	RECORD
4/5/72	7 PRINTS	CPD N.Y.	ERECTION
3-21-72	1 PRINT	TISHMAN	APPROVAL
4/27/71	7 PRINTS	CPC NY	ERECTION
3/16/71	1 PRINT	TISHMAN	APPROVAL
2/25/71	1 PRINT	TISHMAN	APPROVAL

PRINT RECORD

JOB NUMBER A87.000
SHEET WG5 OF