WORLD TRADE CENTER HOTEL

THE WORLD TRADE CENTER
NEW YORK NEW YORK

SKIDMORE, OWINGS & MERRILL
ARCHITECTS
400 PARK AVENUE, NEW YORK

WEISKOPF & PICKWORTH
STRUCTURAL ENGINEERS
220 PARK AVENUE, NEW YORK

JAROS, BAUM & BOLLES
MECHANICAL ENGINEERS
345 PARK AVENUE, NEW YORK

GENERAL NOTES FOR THIS AREA:

1. E.W. CLG. - USG "RADIUS CLG. SYSTEM" SUSP. SYSTEM PLACED NON-COMBUSTIBLE CLG. CHANNELS SECURELY TO STRUCTURE AT 4'-0" O.C. MAX. SPACING. SUSP. WIRES SHALL BE #12 GA. AT 4'-0" O.C. MAX. SPACING. SEE DET. 2/A-305 FOR SUSPENSION SYSTEM. SEE DET. 1/A-305 FOR FIRE RATING.
2. ALL LIGHT FIXTURES & SPRINKLERS TO BE RECESSED. THERMAPANE LIGHTING FIXTURE PROTECTION SHIELDS AS MANUFACTURED BY WATER SYSTEMS APPROX. AS SHOWN. SEE BELOW.
3. ALL GYP. BOARD WALLS HAVE THE FOLLOWING FIRE RATING:
   - 1 HR. FIRE RATING - NON-COMBUSTIBLE CLG.
   - 2 HR. FIRE RATING - NON-COMBUSTIBLE CLG.
4. ACCESS PANELS ARE INDICATED AT APPROX. LOCATIONS. COORDINATE ACTUAL LOCATION W/ ENGINEERS' SHOP DRAWINGS.
5. ALL WALLS TO UNDERSIDE OF CONCRETE, EXCEPT SHAFT WALLS.

LEGEND

- 2'-0"x4'-0" FLUORESCENT FIXT.
- 1'-0"x4'-0" FLUORESCENT FIXT.
- FLUORESCENT TUBE (4'-0" OR 8'-0" LENGTHS)
- INCANDESCENT FIXT.
- (9'-6") CEILING HEIGHT
- AIR SUPPLY REGISTER
- RETURN-AIR REGISTER
- SPRINKLER HEAD
- EXIT LIGHT
- ACOUSTIC TILE CEILING (2'-0"x4'-0")
- SPEAKERS
- 12"x12" ACCESS PANEL WHERE LOCATED IS NOT PERMANENT IN FIELD
- SHADE BLIND WALL ASSEMBLY TO STRUCTURE ABOVE
- 2 HR. EXTERIOR WALLS TO UNDERSIDE OF STR. SLAB
- WALLS TO UNDERSIDE OF NON-COMBUSTIBLE CLG. WHERE PAINTED AS FIRE WALL TYPES
- SEE FIRE RATED CEILING

MECH.

MECH.

2'x4' CER. TILE

22 ND CEILING PLAN
EL. + 547'-0"

(2) U.S.G. SERVICE CLG. DET-WALL TO UNDERSIDE OF STRUCTURE
TYPICAL

(1) U.S.G SERVICE CEILING DET.
2 HR. FIRE RATED ASSEMBLY

THERMAPANE FIXTURE PROTECTION
BOX ASSEMBLY
(FOR SPEC FOR SEAM MADE WELDED CLOSE FROM 20GA LOCK AT SOUTH ROBERT BEAM MARKING BOXES & SPACERS)

AS-BUILT DWGS

NO.	DATE	REVISIONS
1	12-17-80	REVISED CLGS. HOUSE DRAWING E 100

22ND FLOOR REFLECTED CEILING PLAN

DATE 12/26/79
SCALE 1/8"=1'-0"
DRAWING NO. A-305
PROJECT NO. 3482

RECEIVED
NOV 19 1982
LESLIE E. ROBERTSON ASSOCIATES
211 E. 43rd ST., N.Y., N.Y.C. 10017