SKILLING-HELLE-CHRISTIANSEN-ROBERTSON — Civil & Structural Engineers

PROJECT: THE WORLD TRADE CENTER | TITLE: EXTERIOR WALL TO EL.363 - COLUMN SCHEDULE - NOTES | DATE: 3-31-67

REVISIONS
2-19-68

COLUMN NUMBER	UPPER SPLICE ELEV.	LOWER SPLICE ELEV.	COLUMN					SEAT DETAILS										DETAIL TOP: PL 3 OR 4
			TYPE	FY1	FY2	UCS	LCS	EL.	TWR	PLZ	EL.	TWR	PLZ	EL.	TWR	PLZ	EL.	TWR	PLZ	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(9)	(10)	(11)	(9)	(10)	(11)	(9)	(10)	(11)	(12)

NOTES -

(1) COLUMN NUMBER A INDICATES TOWER A B INDICATES TOWER B

(2) ELEVATION IN FEET OF UPPER COLUMN SPLICE
(3) ELEVATION IN FEET OF LOWER COLUMN SPLICE

(4) COLUMN TYPE - FOR DIMENSIONS , PLATE THICKNESS , AND WELDS SEE PAGES 1-B2-19 THRU 26

(5) REQUIRED YIELD STRENGTH FOR PLATE NO. 1 (KSI)
(6) REQUIRED YIELD STRENGTH FOR PLATE NO. 2 (KSI)

(7) DETAIL NUMBER FOR UPPER COLUMN SPLICE - SEE PAGES 1-B2-41 THRU 46
(8) DETAIL NUMBER FOR LOWER COLUMN SPLICE - SEE PAGES 1-B2-41 THRU 46

(9) REFERENCE ELEVATION FOR SEAT DETAILS INDICATED IN 10 AND 11
(10) DETAIL NUMBER FOR SEAT DETAIL ON TOWER FACE OF COLUMN - SEE PAGES 1-A83-1 THRU 18 & 36 THRU 45
(11) DETAIL NUMBER FOR SEAT DETAIL ON PLAZA BUILDING FACE OF COLUMN - SEE PAGES 1-A83-50 THRU 66

(12) DETAIL NUMBER WHERE TOP ELEVATION OF PLATE NO. 3 AND/OR 4 IS SHOWN - NOTE ALL PLATE NOS.3 AND 4 ARE FY = 36 KSI

