WORTHINGTON, SKILLING, HELLE & JACKSON Civil & Structural Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	DRAWING BOOK 4 GENERAL NOTES	6- 5-67

REVISIONS


12-5-67
6-3-68
1-3-69
2-3-69
3-3-69
4-1-69
Printed 5-1-69

			COLUMN 1					COLUMN 2					COLUMN 3				
PANEL NUMBER		PANEL TYPE	TYPE	FY1	FY2	CSU	CSL	TYPE	FY1	FY2	CSU	CSL	TYPE	FY1	FY2	CSU	CSL
(1)	(2) (3)	(4)	(5)	(6)	(7)	(8)	(9)	(5)	(6)	(7)	(8)	(9)	(5)	(6)	(7)	(8)	(9)

		SPANDREL PLATE				WELDMENTS			SEAT DETAIL		
PANEL NUMBER	FLOOR	T4	FY4	SCL	SCR	NO 5	NO 6	NO 7	COL 1	COL 2	COL 3
(1) (2) (3)	(10)	(11)	(12)	(13)	(14)	(15) (16)	(17)	(18)	(19)	(19)	(19)

NOTES — REF DWGS 4-AB2-

(1) COLUMN NUMBER FOR CENTER COLUMN OF PANEL
(2) NUMBER OF STORY CONTAINING UPPER SPLICE
(3) NUMBER OF STORY CONTAINING LOWER SPLICE
(4) PANEL TYPE — 2 TO 7
(5) COLUMN TYPE — 8 TO 10
(6) REQUIRED YIELD STRENGTH FOR PLATE NO.1(KSI)
(7) REQUIRED YIELD STRENGTH FOR PLATES NO.2 AND NO.3 (KSI)
(8) COLUMN SPLICE UPPER (DETAIL NUMBER) — 12 TO 16
(9) COLUMN SPLICE LOWER (DETAIL NUMBER) — 12 TO 16
(10) FLOOR LEVEL OF SPANDREL
(11) THICKNESS OF SPANDREL PLATE NO.4 (INCHES)
(12) REQUIRED YIELD STRENGTH FOR PLATE NO.4(KSI)
(13) SPANDREL CONNECTION LEFT (DETAIL NUMBER) — 26 TO 30
(14) SPANDREL CONNECTION RIGHT (DETAIL NUMBER) — 26 TO 30
(15) SIZE OF WELD NO. 5 — 11,18 TO 24
(16) LENGTH OF WELD NO. 5 — 11,18 TO 24
(17) SIZE OF WELD NO. 6 — 11,18 TO 24
(18) SIZE OF WELD NO. 7 — 11,18 TO 24
(19) SEAT DETAIL NUMBER — 31 TO 36
(20) PANELS ARE VIEWED FROM INSIDE OF BUILDING LOOKING OUT



Rev. No 1. 7-10-67
No 2. 12-5-67

Panel Schedules
Tower A
A1-2 – A1-299

LICENSED PROFESSIONAL ENGINEER LESLIE E. ROBERTSON No. 34360 CITY OF THE STATE OF NEW YORK