WORTHINGTON, SKILLING, HELLE & JACKSON — Civil & Structural Engineers

WTCI-540-LERA

PROJECT: THE WORLD TRADE CETER | TITLE: EXTERIOR WALL -107 to 110 - NOTES & INDEX | DATE: 4-12-67

REVISIONS

11-7-67
Printed 1-3-69
2-3-69
3-3-69
4-1-69
Printed 5-1-69
8-15-69
12-15-69
8-3-70 R

NOTES

1. See Key Plan this sheet for locations of wall elevations. All wall elevations are viewed from the inside looking outward.
2. All wide flange column material & columns Type A&B shall be Fy 42 unless otherwise noted.
3. Structural steel tubing shall be seamless and shall conform to ASTM A501.
4. All other material, including detail material, shall be Fy 36 unless otherwise noted.
5. All welding shall be accomplished using E70XX low hydrogen electrodes or other equivalent approved welding process.
6. All bolts shall be Friction Type A325 unless otherwise noted.
7. All bolts are furnished by others except shipping bolts.

TOWER A TOWER B



KEY PLAN

INDEX

4-AB3-1 Notes & Index
4-A3-2.1 Column & Spandrel Sched. - Tower A
2.2
2.3
2.4
4-B3-2.1 Column & Spandrel Sched - Tower B
2.2
2.3
2.4
4-AB3-3 Spandrel Splices
4-AB3-4 Typical Sections
4-AB3-5.1 Column Details
4-AB3-5.2 Column Types
4-AB3-6 Spandrel Types
4-AB3-7.1 Connections Floor 108
4-AB3-7.2 Connections Floor 108
4-AB3-7.3 Connections Floor 108
4-AB3-8.1 Connections Floor 110
4-AB3-8.2 Connections Floor 110
4-AB3-9 Corner Details
4-AB3-10 Tube Details
4-AB3-11 Exterior Wall Splice Detail - Floor 107

4-AB3-1