WORTHINGTON, SKILLING, HELLE & JACKSON — Civil & Structural Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	DRAWING BOOK 4 GENERAL NOTES	6-5-67


REVISIONS
12-5-67
6-3-68
1-3-69
2-3-69
3-3-69

PANEL NUMBER			PANEL TYPE	COLUMN 1 TYPE	COLUMN 1 FY1	COLUMN 1 FY2	COLUMN 1 CSU	COLUMN 1 CSL	COLUMN 2 TYPE	COLUMN 2 FY1	COLUMN 2 FY2	COLUMN 2 CSU	COLUMN 2 CSL	COLUMN 3 TYPE	COLUMN 3 FY1	COLUMN 3 FY2	COLUMN 3 CSU	COLUMN 3 CSL
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(5)	(6)	(7)	(8)	(9)	(5)	(6)	(7)	(8)	(9)

PANEL NUMBER			FLOOR	SPANDREL PLATE T4	SPANDREL PLATE FY4	SPANDREL PLATE SCL	SPANDREL PLATE SCR	WELDMENTS NO 5	WELDMENTS NO 6	WELDMENTS NO 7	SEAT DETAIL COL 1	SEAT DETAIL COL 2	SEAT DETAIL COL 3
(1)	(2)	(3)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(19)	(19)

NOTES — REF DWGS 4-AB2-1

(1) COLUMN NUMBER FOR CENTER COLUMN OF PANEL
(2) NUMBER OF STORY CONTAINING UPPER SPLICE
(3) NUMBER OF STORY CONTAINING LOWER SPLICE
(4) PANEL TYPE — 2 TO 7
(5) COLUMN TYPE — 8 TO 10
(6) REQUIRED YIELD STRENGTH FOR PLATE NO.1 (KSI)
(7) REQUIRED YIELD STRENGTH FOR PLATES NO.2 AND NO.3 (KSI)
(8) COLUMN SPLICE UPPER (DETAIL NUMBER) — 12 TO 16
(9) COLUMN SPLICE LOWER (DETAIL NUMBER) — 12 TO 16
(10) FLOOR LEVEL OF SPANDREL
(11) THICKNESS OF SPANDREL PLATE NO.4 (INCHES)
(12) REQUIRED YIELD STRENGTH FOR PLATE NO.4 (KSI)
(13) SPANDREL CONNECTION LEFT (DETAIL NUMBER) — 26 TO 30
(14) SPANDREL CONNECTION RIGHT (DETAIL NUMBER) — 26 TO 30
(15) SIZE OF WELD NO. 5 — 11,18 TO 24
(16) LENGTH OF WELD NO. 5 — 11,18 TO 24
(17) SIZE OF WELD NO. 6 — 11,18 TO 24
(18) SIZE OF WELD NO. 7 — 11,18 TO 24
(19) SEAT DETAIL NUMBER — 31 TO 36
(20) PANELS ARE VIEWED FROM INSIDE OF BUILDING LOOKING OUT



Rev. No 1. 7-10-67
No 2. 12-5-67

REGISTERED PROFESSIONAL ENGINEER LESLIE E. ROBERTSON No. 34360 STATE OF NEW YORK