WORTHINGTON, SKILLING, HELLE & JACKSON — Civil & Structural Engineers

PROJECT: THE WORLD TRADE CETER | TITLE: EXTERIOR WALL -107 TO 110 - NOTES & INDEX | DATE: 4-12-67

REVISIONS

11-7-67
1-3-69
2-3-69
3-3-69
4-1-69

NOTES

1.- See drawing SA-140, 141, 142 & 143 and SB-140, 141, 142 & 143 for wall elevations
2.- All Wide Flange column material shall be ASTM A36
3.- Structural steel tubing shall be seamless and shall conform to ASTM A501

INDEX:

4-AB3-1 NOTES & INDEX
4-A3-2 Column Schedule - Tower A
4-A3-3 Spandrel Schedule - Tower A
4-B3-2 Column Schedule - Tower B
4-B3-3 Spandrel Schedule - Tower B
4-AB3-4 Typical Elevation
4-AB3-5 Column Details
4-AB3-6 Spandrel Types
4-AB3-7 Connections Floor 108
4-AB3-8 Connections Floor 110
4-AB3-9 Corner Details
4-AB3-10 Tube Details

For latest date each page see 4-AB0-0

LICENSED PROFESSIONAL ENGINEER LESLIE E. ROBERTSON NEW YORK