






℄ & DIMENSION HC4 ARE RELATED TO HOLES PUT IN BEARING END OF FLOOR TRUSSES WHICH ARE SIMILAR WITH BUT NOT EXACTLY ALIGNED WITH HOLE ℄ ON THE COLUMN CLIPS & BRACES.


PANEL NO. A1J/G SIZE 20'-0" x 58'-11"

















REQUIRED MATERIAL PER PANEL				REF. DRWG.
MATERIAL	MK	PCS	SIZE	
FLOOR TRUSSES	TIG	1	C32TIG - 58'-11"	ST201G
	TIJ	1	C32TIJ - 58'-7"	ST201J
BRIDGING TRUSSES	TII	4	24TII - 19'-11"	ST211
3 x 2 x 1/4 ANGLE	A1	5	3" x 2" x 1/4" x 19'-11"	ST 403
	A2	4	3" x 2" x 1/4" x 5'-11 9/16"	ST 403
	A3	2	3" x 2" x 1/4" x 5'-11 3/4"	ST 403
DIAGONAL FLATS	F1	5	1 1/2" x 3/8" x 0'-8"	ST 402
PATCH PLATES	PP1	24	2" x 1/4" x 0'-9"	ST 400
	PP2	24	3" x 7/16" x 0'-3"	ST 400
COVER PLATES	A	4	9" x .0135" x 13'-11 1/2"	ST303
	B	8	9" x .0135" x 15'-2"	ST303
	C	4	9" x .0135" x 13'-2 1/2"	ST303
	D	4	9" x .0135" x 2'-1"	ST303
ANGLE CLIPS	C1	24	2" x 1 1/2" x 3/4" x 0'-6"	ST 400
ø SHEAR ANCHOR	SA2	12	3/4" ø REBAR x 0'-9"	ST 400
DAMPING SADDLE	DUS-1	2	3 1/2" x 3 1/2" x 3/8" x 3'-6 7/8"	ST298
	DUS-2	2	3 1/2" x 3 1/2" x 3/8" x 3'-6 7/8"	ST298
CONNECTION BAR	CB1	8	1" x 1'-3"	ST 400
CONNECTION PLATES	P1	10	3 1/2" x 3/8" x 8 1/2"	ST 400
	P2	8	4 1/2" x .390" x 0'-8"	ST 400
	P3	8	4 1/2" x .390" x 1'-0"	ST 400

LETTERS AND NUMBERS IN ELLIPSES, ie. (10) INDICATE CONNECTION DETAILS SHOWN ON SHEETS CD 201 OR CD 202.

NO.	DATE	REVISION	BY
2	5-27-69	AS NOTED	RJP
1	10-21-68	AS NOTED	G.D.C.

REF. DRWG.		
1 - AB4 3		10-15-68
2 - AB4 15th 16		7-22-68
3 - AB4 41		7-22-68
4	SA12	1-6-69
	MAB3 2	1-3-68
5 - AB4 21		7-22-68
7 - AB2 5		7-22-68

LOOR PANEL DETAILS

FOR

WORLD TRADE CENTER, N.Y.C.

FOR

THE PORT OF NEW YORK AUTHORITY

BLDG. A FLOORS 40 (N)

BLDG. B FLOORS 40 (WEST) 4

FABRICATION BY: AC EDE STEEL COMPANY

FABRICATED AT MADISON, ILLINOIS	DESIGN DRAWING NO. TYPE-3 PLATE
APPROVED FOR FABRICATION DATE BY FOR PONYA	DRAWN BY G.B. DATE FEB 27 1968
APPROVED FOR FABRICATION DATE BY	CHECKED BY T.SHIBA DATE OCT. 1968
DETAILED BY A.L. KEBER	FABRICATION SHOP NO. WTC 231