






℄ & DIMENSION 'HC 4' ARE RELATED TO HOLES PUT IN BEARING END OF FLOOR TRUSSES WHICH ARE SIMILAR WITH BUT NOT EXACTLY ALIGNED WITH HOLE ℄ ON THE COLUMN CLIPS & BRACES.

PANEL NO A1C SIZE 20'-0" x 5'-11"









REQUIRED MATERIAL PER PANEL				REF. DWG.
MATERIAL	MK	PCS	SIZE	
FLOOR TRUSSES	T1C	6	C32T1C - 58'-11"	ST2006
SLOPING TRUSSES	T11	4	24T11 - 19'-11"	ST2006
3"x2"x1/4" ANGLE	A1	5	3"x2"x1/4"x 19'-11"	ST 403
	A2	4	3"x2"x1/4"x 5'-11 9/16"	ST 403
	A3	2	3"x2"x1/4"x 5'-11 3/4"	ST 403
DIAGONAL FLATS	F1	8	1 1/2" x 7/8" x 6'-8"	ST 402
PATCH PLATES	PP1	24	2"x1/4"x 0'-9"	ST 400
	PP2	24	3"x3/8"x 0'-9"	ST 400
COVER PLATES	A	4	9"x 0.135"x 18'-2"	ST 303
	B	8	9"x 0.135"x 15'-2"	ST 303
	C	6	9"x 0.135"x 13'-2 1/2"	ST 303
	D	4	9"x 0.135"x 2'-1"	ST 303
ANGLE CLIPS	C1	24	3"x1/2"x1/4"x 0'-8"	ST 400
"A" FRAME ANCHOR	SA2	1	1" ℄ REBAR x 0'-9"	ST 400
DAMPING SADDLE	DUS-1	2	3 1/2"x3 1/2"x 3/8"x3'-6 7/8"	ST 2300
	DUS-2	2	3 1/2"x3 1/2"x 3/8"x3' 6 7/8"	ST 2300
CONNECTION BAR	CB1	8	1"℄ x 1'-3"	ST 400
CONNECTION PLATES	P1	10	3 1/2" x 3/8" x 6 1/2"	ST 400
	P2	8	4 1/2" x .39" x 0'-8"	ST 400
	P3	8	4 1/2" x .39" x 1'-0"	ST 400

LETTERS AND NUMBERS IN ELLIPSES, ie., (1C) INDICATE CONNECTION DETAILS SHOWN ON SHEETS, CD 201 OR CD 202.

NO.	DATE	REVISION	BY
1	5-27-69	AS NOTED	RJF

REF. DWG.
7-564 TO 570 10-5-68
7-22-68
7-22-68
6-69
7-22-68
7-22-68

FLOOR PANEL DETAILS FOR WORLD TRADE CENTER FOR THE PORT OF NEW YORK AUTHORITY

BLDG. A FLOORS 39 (NORTH & SOUTH) 40 (SOUTH)

PANEL 1C SIZE 20'-0" x 5'-11"

BLDG. B FLOORS 39 (EAST & WEST) 40 (EAST)

FABRICATION BY LACLEDE STEEL COMPANY

FABRICATED AT MADISON, ILLINOIS

DESIGN DRAWING NO 7-563-3 PLATE

APPROVED FOR FABRICATION BY [illegible] DATE 6-2-69

DRAWN BY SWH DATE FEB 24, 1969

APPROVED FOR FABRICATION BY DATE

CHECKED BY T CHUNG DATE OCT. 11, 1968

DETAILED BY A.C. NOBLE

FABRICATION CONTRACT NO. W.O. 6221

IN CHARGE

SHEET