






REQUIRED MATERIAL FOR PANEL				
MATERIAL	MK	PCS.		
FLOOR TRUSSES	T1P	4	C32T1 @ 57'-	ST 201P
" "	T13	4	24T13 @ 57'-3"	ST 218
" "	A2	5	3 x 3 x 4 x 3	ST 403
" "	B	4	6 x 3 x 4 x 3	ST 403
" "	C	2	6 x 3 x 4 x 3	ST 403
" "	D	2	3" @ 3.33 x 2" @ 1	ST 403
" "	E	16	4" x 1'-2" x 8 1/4" x 3/8	ST 403
" "			1" DIA BAR	ST 403
" "			CS- 4	
CONNECTION PLATES	P1	3	3'-2" x 1'-8" x 6'-2"	ST 403
	P2	4	4 1/2" x .30" x 1'-0"	ST 403
	P3	1	4'-2" x .30" x 1'-0"	ST 403







NOTE. ALL ARC WELDS TO BE MADE WITH LOW HYDROGEN RODS IN THE E-70 SERIES OR EQUAL.
UNLESS SHOWN OTHERWISE, ALL CONNECTION ARC WELDS SHALL BE 1/4" x 1" FULL THROAT FILLET.

NUMBERS AND LETTERS IN ELLIPSES, ie., (1C), INDICATE CONNECTION DETAILS SHOWN ON SHEET CD 201 OR CD 202.

NO.	DATE	REVISION	BY
1	6-5-69	AS NOTED	

FLOOR PANEL DETAILS
FOR
WORLD TRADE CENTER - N.Y.C.
FOR
THE PORT OF NEW YORK AUTHORITY

BLDG. A FLOORS 74 (N.)
PANEL BRIT - 13-
BLDG. B FLOORS - 74 (WEST)

FABRICATION BY LACLEDE STEEL COMPANY

DESIGN DRAWING NO. 7 [illegible] 6 [illegible] PLATE
DRAWN BY S.M.
DATE 11/1/68
CHECKED BY [illegible] DATE
FABRICATION CONT. NO. 7 [illegible] 221
SHEET NO. FP BR1