






PANEL NO. BR3P SIZE 13'-4" x 57'-7"

℄ DIMENSION HC4 ARE RELATED TO HOLES PUT IN BEARING END OF FLOOR TRUSSES WHICH ARE SIMILAR WITH BUT NOT EXACTLY ALIGNED WITH HOLE ℄ ON THE COLUMN CLIPS & BRACES












TOP VIEW - DETAIL 'A'




DETAIL 'A'



SECTION D-D




DETAIL 'D'




DETAIL 'E'




NOTE: ARC WELDS TO BE MADE WITH LOW HYDROGEN RODS IN THE VERTICAL POSITION. ALL CONNECTION ARC WELDS SHALL BE FULL THROAT






DETAIL 'F'



DETAIL 'G'

COVER PLATES 7/0 GA THICK


FIELD PUNCH COVER PLATES OVER END STIFFENERS WT C 223.00




TOP VIEW - DETAIL 'B'

DETAIL 'B' WHEN APPLICABLE

DETAIL 'B' WHEN APPLICABLE



SECTION A-A
END SUPPORT ANGLES



DETAIL 'J'
END SUPPORT ANGLE ATTACHMENT



CLIP ANGLE LOCATION FOR DIAGONAL FLATS 4" 2" ABOVE COLUMN CLIPS FOR TRUSS BEARING

REQUIRED MATERIAL PER PANEL				REF DRWG
MATERIAL	MK	PCS	SIZE	
PLATES	B	4	9" x .0135" x 1'-5 1/2"	ST 303
	F	2	5" x .045" x 13'-2 1/2"	ST 303
ANGLES		12	2" x 1" 2'-1 3/4" x 0'-6"	ST 400
REBAR		8	#8 REBAR x 0'-9"	ST 400
			3" x 2" x 1 7/8"	ST 400
			3" x 3" x 3/8" x 3'-6"	ST 298
CONNECTION BAR	C51	4	2" x 1" 3"	ST 400
CONNECTION PLATES	P1	5	1'-2" x 3/8" x 6 1/2"	ST 400
	P2	4	4 1/2" x .38" x 0'-8"	ST 400
	F3	4	4'-2" x .38" x 1'-1"	ST 400

NUMBERS AND LETTERS IN ELLIPSES ie., (16), INDICATE CONNECTION DETAILS SHOWN ON SHEET CD 201 OR CD 202.

NO	DATE	REVISION	BY

DRWG	DATE
[illegible]	10-15-68
[illegible] 5 & 6	7-22-69
[illegible] 42	10-15-68
[illegible] 44	1-6-69
[illegible] 44	1-6-69
[illegible] 24	1-6-69
[illegible] 11	7-22-68

TYP. PANEL DETAILS
[illegible] CENTER
FOR
[illegible] NEW YORK AUTHORITY

BLDG A FLOORS 78 (NORTH)
[illegible] PANEL BR3P 13'-4" x 57'-7"
BLDG B FLOORS 78 (WEST)

FABRICATION BY ACLEDE STEEL COMPANY

FABRICATED AT MADISON, ILLINOIS		DESIGN DRAWING NOS. [illegible]	PLATE
APPROVED FOR FABRICATION BY [illegible] FOR PONYA	DATE 7/3/69	DRAWN BY [illegible] DATE APRIL 28, 1969	
APPROVED FOR FABRICATION BY FOR FABRICATOR	DATE	CHECKED BY T. MCHURA DATE APRIL 28, 1969	IN CHARGE OF [illegible]
DETAILED BY A.V. HEBER		FABRICATION CONT. NO WT C 221 [illegible]	SHEET FB BI [illegible]

ACLEDE STEEL CO.