
SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT THE WORLD TRADE CENTER | TITLE SHAFTS AT CORNERS OF CORE | DATE 11-19-68

REVISIONS

12-16-68

4-8-69



Detail D

At Floor 1, El. 310'-0"

Col. 1008 shown
Col. 501 similar
Cols. 508 & 1001 similar & opp. hand.

Notes:

1. This steel beam will be erected after the general concreting at this level. Concrete shaded areas after its erection.
2. Floor 1 is shown in Detail at left. The following floors are similar (although sizes and fireproofing of steel members and extent of slabs vary):
   Service Level El. 294'-0"
   Intermediate Level El. 324'-0"
   Floor 2, El. 332'-0"
   Floors 3-45
3. Constr. joints are shown thus: —|—|— For constr. jts in slabs & conc. fireproofing to beams see 8-AB1-4. Full details of construction shall be submitted in Shop Dwgs. See Note #3 on 8-AB1-4.1

LICENSED PROFESSIONAL ENGINEER LESLIE E. ROBERTSON No. 34380 UNIVERSITY OF THE STATE OF NEW YORK

DESIGNED A-L.A.

DRAWN G.T.H.

REVIEWED

8-AB3-55.2