WORTHINGTON, SKILLING, HELLE & JACKSON — Civil & Structural Engineers

PROJECT: THE WORLD TRADE CENTER | TITLE: COLUMN SCHEDULE | DATE: 5-15-67

REVISIONS
5-1-68
6-7-68

	J75-7	J75-8	J75-9	J75-10	J75-11	J-75-12	
El. 332'							
El. 310'							
El. 290'	14WF136 (Fy=50)	14WF264 (Fy=50)		14WF142 (Fy=50)		14WF142 (Fy=50)	
El. 279'-3"	Det. 9 / 10-JK2-41						
El. 264'	Temp. bracing; 20×12 I, 2 PL 12×2, 1 PL 16×1 (Fy=50)	20×12 I, 2 PL 12×3, 1 PL 14×2 (Fy=50)					
El. 253	See 10-JK2-358; 14WF264 (Fy=50)	Splice detail Similar to 10-JK2-358 (No Shear Head); Temp. bracing 14WF426 (Fy=50)	14WF78 (Fy=50)			14WF68 (Fy=50)	
Top of Base Pl.	El. 243'-4"	El. 243'-4"	El. 243'-4"			El. 243'-4"	
Base Plate	47×5¼×4'-2"	57×7×5'-2"	18×1½×1'-10"			14×1×1'-7"	

✱ Provide proper splice pls., bolt holes & finished col. top for future columns. Use upper col. one size smaller except as shown.
▲ See detail on 10-JK4-3 and 4.
■ Splice 3" above slab. See note on 10-JK2-2.
● See detail on 10-JK2-30.

10-J1-93

LICENSED PROFESSIONAL ENGINEER — LESLIE E. ROBERTSON — No. 34980 — UNIVERSITY OF THE STATE OF NEW YORK