WORTHINGTON, SKILLING, HELLE & JACKSON — Civil & Structural Engineers

PROJECT: THE WORLD TRADE CENTER | TITLE: COLUMN SCHEDULE | DATE: 5-15-67

REVISIONS
5-1-68
6-7-68
10-15-68

	J72-4	J72-5	J72-6	J72-7		
El. 332'						
El. 310'						
El. 290'	℄-Girder; 14 WF 264 (Fy=50)	14 WF 228 (Fy=50)	14 WF 237 (Fy=50)	14 WF 211 (Fy=50); Det. 1 on 10-JK2-41		
El. 279'-3"		⊗	⊗			
El. 264'	14 WF 550 (Fy=50)	Temp. bracing	Temp. bracing	Temp. bracing; 20×12 I 2 ℄ 12×2¾ 1 ℄ 14½×1½		
El. 253	▲	20×12 II 2 ℄ 12×5 2 ℄ 10×4	20×12 II 2 ℄ 12×5 2 ℄ 10×4	See detail on 10-JK2-35B		
Top of Base ℄	14 WF 550 (Fy=50)	(Fy=50)	(Fy=50)	14 WF 342 (Fy=50)		
	El. 243'-4"	El. 243'-4"	El. 243'-4"	El. 243'-4"		
Base plate	57×7×5'-2"	53×7×5'-0"	57×7×5'-1"	53×6½×4'-9"		

* Provide proper splice pls., bolt holes & finished col. top for future columns. Use upper col. one size smaller except as shown.
▲ See detail on 10-JK4-3 and 4.
■ Splice 3" above slab. See note on 10-JK2-2.
● See detail on 10-JK2-30.
⊗ Splice detail, see 10-JK2-35A

10-J1-84

LICENSED PROFESSIONAL ENGINEER — LESLIE E. ROBERTSON — No. 34260 — UNIVERSITY OF THE STATE OF NEW YORK