WORTHINGTON, SKILLING, HELLE & JACKSON — Civil & Structural Engineers

PROJECT: THE WORLD TRADE CENTER | TITLE: COLUMN SCHEDULE | DATE: 5-15-67

| REVISIONS |
|---|
| 5-1-68 |
| 6-7-68 |
| 10-15-68 |

| | J74-2 | J74-3 | J74-4 | J74-5 | J74-6 | | |
|---|---|---|---|---|---|---|---|
| El. 332' | | | | | | | |
| El. 310' | | | | | | | |
| El. 290' | | | 14WF314 (Fy=50) | 14 WF 264 (Fy=50) | Det. 5 / 10-JK2-41 14WF 264 (Fy=50) | | |
| El. 279'-3" | | | ⊠ | ⊠ | | | |
| El. 274' | | | | | | | |
| El. 264' | Bott. of ℄ Girder ▲ 14WF550 (Fy=50) | Bott. of ℄ Girder ▲ 14WF665 +℄ 15×3 (B.S.) (Fy=46) | Temp. bracing | Temp. bracing | Temp. bracing 20×12 II 2℄ 3×3 2℄ 12×3 1℄ 14×2 (Fy=50) | | |
| El. 253 | | Temp. bracing 14WF665 +℄ 15×3 (B.S.) (Fy=46) | 20×12 II 2℄ 12×5 2℄ 10×4 (Fy=50) | 20×12 II 2℄ 12×5 2℄ 10×4 (Fy=50) | See detail on 10-JK2-35A 14WF398 (Fy=50) | | |
| Top of Base ℄ | El. 243'-4" | El. 243'-4" | El. 243'-4" | El. 243'-4" | El. 243'-4" | | |
| Base Plate | 59×7×5'-5" | 74×9×7'-4" | 64×8¾×5'-9" | 57×7¾×5'-1" | 57×7×5'-1" | | |

* Provide proper splice pls., bolt holes & finished col. top for future columns. Use upper col. one size smaller except as shown.
▲ See detail on 10-JK4-3 and 4.
■ Splice 3" above slab. See note on 10-JK2-2.
● See detail on 10-JK2-30.
⊠ Splice detail, see 10-JK2-35A.

10-J1-90

LICENSED PROFESSIONAL ENGINEER — LESLIE E. ROBERTSON — No. 34200 — UNIVERSITY OF THE STATE OF NEW YORK

C