WORTHINGTON, SKILLING, HELLE & JACKSON — Civil & Structural Engineers

PROJECT THE WORLD TRADE CENTER | TITLE COLUMN SCHEDULE | DATE 5-15-67

REVISIONS
5-1-68
6-7-68

	J75-7	J75-8	J75-9	J75-10	J75-11	J-75-12
El. 332'						
El. 310'						
El. 290'	Det. 9 10-JK2-41 14WF136 (Fy=50)	14WF264 (Fy=50)		14WF142 (Fy=50)		14WF142 (Fy=50)
El. 279'-3"						
El. 264'	Temp. bracing 20×12 I 2 PL 12×2 1/2 PL 16×1 (Fy=50)	20×12 I 2 PL 12×3 1/2 PL 14×2 (Fy=50)				
El. 253						
Top of Base Pl.	See 10-JK2-356 14WF264 (Fy=50)	Splice detail Similar to 10-JK2-358 (No shear head) Temp. bracing 14WF426 (Fy=50)	14WF78 (Fy=50)		14WF68 (Fy=50)	
	El. 243'-4"	El. 243'-4"	El. 243'-4"		El. 243'-4"	
Base Plate	47×5 1/4×4'-2"	57×7×5'-2"	18×1 1/2×1'-10"		14×1×1'-7"	

* Provide proper splice pls., bolt holes & finished col. top for future columns. Use upper col. one size smaller except as shown.
▲ See detail on 10-JK4-3 and 4.
■ Splice 3" above slab. See note on 10-JK2-2.
● See detail on 10-JK2-30.

10-J1-93

LICENSED PROFESSIONAL ENGINEER LESLIE E. ROBERTSON No. 34260 UNIVERSITY OF THE STATE OF NEW YORK

C