WORTHINGTON, SKILLING, HELLE & JACKSON — Civil & Structural Engineers

PROJECT: THE WORLD TRADE CENTER | TITLE: COLUMN SCHEDULE | DATE: 5-15-67

REVISIONS
6-11-68

	K58-1	K58-2	K58-3	K58-4	K58-5	K58-6	K58-7
El. 332'							
El. 310'							
STEEL							
El. 294'	14 WF 176 (Fy = 50)	14 WF 176 (Fy = 50)	14 WF 176 (Fy = 50)	14 WF 176 (Fy = 50)	14 WF 176 (Fy = 50)	14 WF 176 (Fy = 50)	14 WF 176 (Fy = 50)
El. 284'							
El. 274'	14 WF 246 (Fy = 50)	14 WF 246 (Fy = 50)	14 WF 246 (Fy = 50)	14 WF 342 (Fy = 50)	14 WF 342 (Fy = 50)	R. Girder 14 WF 228 (Fy = 50)	14 WF 342 (Fy = 50)
El. 264'							
El. 253 ▲	14 WF 287 (Fy = 50)	14 WF 287 (Fy = 50)	14 WF 287 (Fy = 50)	14 WF 342 (Fy = 50)	14 WF 342 (Fy = 50)		14 WF 342 (Fy = 50)
Top of base Pl ▲	El. 241'-0"	El. 241'-0"	El. 241'-0"	El. 241'-0"	El. 241'-0"		El. 241'-0"
Base Plate	31 x 6¼ x 4'-1"	31 x 6¼ x 4'-7"	31 x 6¼ x 4'-7"	47 x 5⅜ x 4'-3"	47 x 5 x 4'-3"		47 x 5 x 4'-3"

✱ Provide proper splice pls., bolt holes & finished col. top for future columns. Use upper col. one size smaller except as shown.
▲ See detail on 10-JK4-3 and 4.
■ Splice 3" above slab. See note on 10-JK2-2.
● See detail on 10-JK2-30.

10-K1-255

LICENSED PROFESSIONAL ENGINEER — LESLIE E. ROBERTSON — No. 34360 — UNIVERSITY OF THE STATE OF NEW YORK

A