SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT: THE WORLD TRADE CENTER | TITLE: SCHEDULE FOR SHEAR CONNECTORS | REF. 12-JK2-6B

REVISIONS
4-18-69
4-14-70

Schedule "A"

Beam No.	Stud Size	No. Of Rows		Zone 1	Zone 2	Zone 3
721	$\frac{3}{4}$"ϕ×3"	4	Length	5'-0"	5'-0"	
			Spacing	3½"	4¼"	7"
722	$\frac{3}{4}$"ϕ×3"	4	Length	5'-0"		
			Spacing	3½"	5¼"	
723	$\frac{7}{8}$"ϕ×3½"	2	Length	5'-0"	5'-0"	
			Spacing	4½"	6"	9"
724	$\frac{7}{8}$"ϕ×3½"	3	Length	5'-6"	5'-6"	
			Spacing	3"	5"	12"
725	$\frac{7}{8}$"ϕ×3½"	3	Length	5'-0"	5'-0"	
			Spacing	4½"	6"	8"
726	$\frac{7}{8}$"ϕ×3½"	2	Length	5'-0"	5'-0"	
			Spacing	8"	12"	12"
727	$\frac{7}{8}$"ϕ×3½"	3	Length	5'-6"	5'-6"	
			Spacing	4"	5½"	7"
728	$\frac{7}{8}$"ϕ×3½"	3	Length	4'-0"	6'-0"	
			Spacing	8"	10"	12"
729	$\frac{7}{8}$"ϕ×3½"	3	Length	5'-3"	5'-3"	
			Spacing	4½"	7½"	8"
730	$\frac{7}{8}$"ϕ×3½"	3	Length	6'-0"	6'-0"	
			Spacing	5"	8½"	12"
731	$\frac{7}{8}$"ϕ×3½"	4	Length	2'-0"		
			Spacing	3"	9"	
732	$\frac{7}{8}$"ϕ×3½"	4	Length	4'-0"	6'-0"	
			Spacing	3"	4½"	9"
733	$\frac{7}{8}$"ϕ×3½"	3	Length	4'-0"	6'-0"	
			Spacing	3"	4½"	8"
734	$\frac{7}{8}$"ϕ×3½"	3	Length	4'-0"	6'-0"	
			Spacing	3"	4½"	7½"
			Length			
			Spacing			
			Length			
			Spacing			
			Length			
			Spacing			
			Length			
			Spacing			

Schedule "A"

Beam No.	Stud Size	No. Of Rows		Zone 1	Zone 2	Zone 3
			Length			
			Spacing			
			Length			
			Spacing			
			Length			
			Spacing			
			Length			
			Spacing			
			Length			
			Spacing			
			Length			
			Spacing			
			Length			
			Spacing			
			Length			
			Spacing			
			Length			
			Spacing			
			Length			
			Spacing			
			Length			
			Spacing			
			Length			
			Spacing			
			Length			
			Spacing			
			Length			
			Spacing			

Note:
See Dwg. 12-JK2-8 for explanation of schedule.

LICENSED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
No. 34960
UNIVERSITY OF THE STATE OF NEW YORK

DESIGNED
DRAWN S.C.
CHECKED E.L.

12-JK2-17B