ERECTION NORTH

SECT. D-D

SECT. G-G

SECT. C-C

DETAIL - A

SEE FIELD WORK DWG. FW99

EXISTING TRUCK RAMP

ERECTOR NOTE: FIELDWELD ONE ANGLE AS SHOWN. ERECT W10×26 BM., THEN FIELDWELD REMAINING ANGLE AS SHOWN.

CANCELLED - NEW BRK'T. GG42 SUPPLIED

FOR FIELDWORK TO B217 SEE 2/FW10

FOR FIELDWORK TO A217 & B217 SEE 2/FW10

FOR FIELDWORK TO C217 & A217 SEE 2/FW10

FOR FIELDWORK TO C217 SEE 1/FW10

ERECTOR NOTE! FOR FIELD WELDING SEE FIELDWORK DWGS LISTED

FIELDWORK DWG #	DETAIL NO
FW10	1 - 2
FW20	1

NOTES

1. TOP OF STEEL TO BE AT ELEV. 308'-7 U.O.N. THUS (EL. .....)
2. ALL BEAMS SHALL BE ASTM A36 STEEL EXCEPT THOSE NOTED 'GR 50' WHICH SHALL BE ASTM A-572, GRADE 50

FIRST FLOOR FRAMING PLAN

TOP OF SLAB EL. 309'-3 U.N.O.

LEGEND

[± 60K] - INDICATES AXIAL LOAD IN KIPS

H - INDICATES HANGER

→ - DIRECTION SPANNED BY SLAB

◯ INDICATES EXISTING COLUMN

⬡ INDICATES NEW COLUMN

--- INDICATES ELEV. TIE-DOWN BEAM FOR DET. SEE DWG. S-24A

(↔) INDICATES NO OF ¾" ø × 6" Lg. STUDS TO BE PLACED THIS ┼ BM

CUSTOMERS DWG. NO: S1

FOR GENERAL NOTES SEE DWG E20

July 2/85E
May 31/85E
May 24/85E
May 1/85E

NO.	DATE	BY	DESCRIPTION OF REVISION
6	May 31/85	JMB	DEV. A REVISED
5	9/05/85	BJB	FIELDWORK NOTES ADDED
4	2/05/85	LV	REVISED TO SUIT 1ST APPROVAL
3	1/09/85	JKB	[illegible]
2	11/16/84	SMJ	[illegible]
1	[illegible]		[illegible]

FIRST FLOOR FRAMING PLAN	FRANKEL STEEL LIMITED
7 WORLD TRADE CENTER	130 ATTWELL DRIVE UNIT 1 REXDALE, ONTARIO M9W 5B2
TISHMAN CONSTRUCTION — CUSTOMER	SQUAD F.R.
EMERY ROTH & SONS P.C. — ARCHITECT	MADE BY I.J DATE NOV 84 CKD. BY EJF DATE 11/84
IRWIN G. CANTOR P.C. — ENGINEER	CONT. No. 84-15 SHEET E1