

FOR KEY PLAN SHOWING CONNECTION LOCATIONS SEE DWG. 9154



KEY PLAN SHOWING SHIPPING DIVS.



FIN. CONC. SLAB 25TH FLOOR EL. 624'-6

TOP OF STEEL 5½" BELOW FIN. CONC. SLAB U.N.

ALL BEAMS SHALL BE ASTM A-572 GRADE 50 EXCEPT:—
WIND GIRDERS INDICATED "WG" ON PLAN.
ALL BEAMS W5×19 (-7½) & SPANDREL BRACE BEAMS W12×19 (-7½)
WHICH SHALL BE ASTM A-36

ALL COLS ARE A36 EXCEPT COLS WITH * WHICH ARE A572 GR.50
REINF. PL'S FOR COLS WITH *, UP TO 2" THK.— A572 GR.50
OVER 2" THK.— A588
OVER 4" THK.— A572 GR.42
OVER 6" THK.— A588

BEAM OPENING ℄ ELEVATIONS, ARE GIVEN WITH RESPECT TO TOP OF STEEL.

<....> INDICATES ¾"ø × 5 SHEAR STUDS, FIELD APPLIED
[---] INDICATES CAMBER

FOR GENERAL NOTES — SEE E120
COL. SCHEDULES — E118; 118A
FOR SPANDREL TRUSS CONNECTIONS TO PERIMETER COLS. & WIND GIRDERS, SEE CW-1

(7) FOR ADDITIONAL STUDS SEE CUST. DWG. SB REV. (E)

13TH. TIER

REVISED		
DATE	BY	OPEN HOLES
DATE	BY	PAINT
DATE	BY	ERECTED BY
DATE	BY	FIELD PAINT
DATE	BY	INSPECTION

25TH FLOOR FRAMING PLAN. — CUSTOMER
7 WORLD TRADE CENTER. — ARCHITECT
TISHMAN CONSTRUCTION. — ENGINEER
EMERY ROTH & SONS P.C.
IRWIN G. CANTOR P.E.

NO.	DATE	BY	REVISION.
8	JAN. 27/86	SF	X60 NOTE ADDED FW112 @ COL. G6
7	NOV. 13/85	BF	NOTE FOR ADD. STUDS (X54)
6	OCT 15, 85	HSS	STOCK SUB. S12X35 FOR S10X35 NEAR GL. G8
5	AUG 29/85	BF	X44 BMS ADDED NEAR 74
4	AUG 9/85	BF	X44 HSS RE-LOCATED NEAR 74
3	JULY 9/85	BF	HSS LOCATED NEAR COL. 74
2	JUNE 5	BF	TO APPROV. (WL REMOVED FROM BOLT-UP GIRDER-S)
			DERRICK SUPPORT BMS &
1	MAY 6	JIM	TO SUIT CUST DWG S11/B

FRANKEL STEEL LIMITED
220 ATTWELL DRIVE UNIT 1 REXDALE, ONTARIO M9W 5B2

SQUAD F.R.
MADE BY GP DATE CHKD. BY JIM DATE MAY 2
CONT. No. 84-15 SHEET E25