

FOR KEY PLAN SHOWING CONNECTION LOCATIONS SEE DWG. 9154



KEY PLAN SHOWING SHIPPING DIVS.



FIN. CONC. SLAB 36TH. FLOOR EL. 764'-9
FIN. CONC. SLAB 37TH. FLOOR EL. 777'-6
TOP OF STEEL 5½" BELOW FIN. CONC. SLAB U.N.
ALL BEAMS SHALL BE ASTM A-572 GRADE 50 EXCEPT:—
WIND GIRDERS - INDICATED "WG" ON PLAN,
ALL BEAMS W5×19 (-7½) & SPANDREL BRACE BEAMS W12×19 (-7½)
WHICH SHALL BE ASTM A-36

ALL COLS ARE A36 EXCEPT COLS WITH * WHICH ARE A572 GR.50
REINF. PLS FOR COLS WITH *, UP TO 2" THK. — A572 GR.50
OVER 2" THK. — A588
OVER 4" THK. — A572 GR.42
OVER 6" THK. — A588


BEAM OPENING ℄ ELEVATIONS, ARE GIVEN WITH RESPECT TO TOP OF STEEL.

<....> INDICATES ¾"ø × 5 SHEAR STUDS, FIELD APPLIED
[---] INDICATES CAMBER

FOR GENERAL NOTES — SEE E120
COL. SCHEDULES — E117; 117A
FOR SPANDREL TRUSS CONNECTIONS TO PERIMETER COLS. & WIND GIRDERS, SEE CW-2

7 FOR ADDITIONAL STUDS SEE CUST. DWG. SB REV. 1

PART PLAN - 37TH FLOOR
MG371 {FLG PL 7×2½ (A36), WEB PL 31×1¼ (") END REACTION 109K}
FOR SHEAVE BEAM LOCATION SEE OTIS ELEVATOR DRG. 359186-MR



REVISED DATE	BY	
DATE	BY	OPEN HOLES
DATE	BY	PAINT
DATE	BY	ERECTED BY
DATE	BY	FIELD PAINT
DATE	BY	INSPECTION

36TH & 37TH FLOOR FRAMING PLAN.
7 WORLD TRADE CENTER. — CUSTOMER
TISHMAN CONSTRUCTION. — ARCHITECT
EMERY ROTH & SONS P.C. — ENGINEER
IRWIN G. CANTOR P.C.

Nov 25/85

NO	DATE	BY	REVISION.
8	JAN. 23/86	SF	X60 NOTE ADDED, FW112 & P321, 66
7	Nov 13/85	BF	NOTE FOR ADD. STUDS (X54)
6	OCT 15/85	HLS	STOCK SUB. S12X35 FOR S10X35 NEAR COL. 66
5	AUG 29/85	BF	X44 NOTE FOR 37TH ONLY REMOVED NEAR LINE 74
			DO NOT ERECT NOTE ADDED FOR W17×14 NEAR 63
4	AUG 21/85	BF	X44 HLS RE-LOCATED NEAR 74 HLS RELOCATED NEAR 72
3	JUL 14/85	JB	NOTE REV. FOR HANGER CONNECTION
2	JUL 4/85	BF	HLS. LOCATED NEAR COL. 74
			DERRICK SUPPORT BM's @ 37TH FL....
1	MAY 8	JIM	TO SUIT CUST DWG SI

FRANKEL STEEL LIMITED
220 ATTWELL DRIVE UNIT 1 REXDALE, ONTARIO M9W 5B2

SQUAD F.R.
MADE BY GP DATE CHKD. BY Jim DATE MAY
CONT. No. 84-15 SHEET E36/37