ONE-COLUMN-A123 (DIV-3)

SECTION A-A

SECTION B-B

SECTION C-C

DTL OF ℄-pm

DTL OF ℄-pk

FIELD BOLT SUMMARY.

12	- 1"ϕA490 x 2¾	6	- ⅞"ϕA325 x 2
8	- —"— x 3	3	- —"— x 2½
8	- —"— x 3½	6	- —"— x 2¾
18	- —"— x 3¾	16	- —"— x 7/4
42	- —"— x 4		
40	- —"— x 4¼		
44	- —"— x 5½		
32	- —"— x 5¾		
20	- —"— x 6		
28	- —"— x 6¾		

252- EXTRA WASH (1"ϕA490)

2-℄-pn (½"N.S. ⅝"F.S.)

MARK "NORTH".

SEE FIELD WORK DWG. FW77

ALL 1"ϕA490 BOLTS TO HAVE 2 WASHERS.

FOR 1"ϕA490 BOLTS

ALL PTL MATL: G40.21-44W Y/N. REF DIAG. # 521

ALL WELD: E70XX REF SKETCH # 911, 912, 969.

△ Rev conn. ℄ pd - Add ℄ pax & ½ to Sect. AA FEB 27/85

REVISED		
DATE MAR 7	BY FC	OPEN HOLES ϕ
DATE MAR 23	BY ES	PAINT —
DATE —	BY —	ERECTED BY —
DATE —	BY —	FIELD PAINT —
DATE —	BY —	INSPECTION

7 WORLD TRADE CENTRE
47 STOREY BUILDING
EMERY ROTH & SONS P.C. — ARCHITECT
IRWIN G. CANTOR P.C. — ENGINEER

FRANKEL STEEL LIMITED
220 ATTWELL DRIVE UNIT 1 REXDALE, ONTARIO M9W 5B2

SQUAD FR
MADE BY JS DATE FEB85 CHKD. BY MK DATE FEB 85

CONT. No. 84-15 SHEET 123.

1 - W 22³⁄₈ x 17⅞ x 3½ x 7.3 x 2G13 (M.2.E.) - A572 GR50 (6/14)

2ND TIER