FOR FIELDWORK SEE DWG FW91

1 PL. 10 × 1/2 × 3'-6 1/8 - pc
HOLES 5 1/2 c/c

1 PL. 7 3/4 × 3/8 × 1'-0 1/2 - pd

1 PL. 10 × 1/2 × 3'-6 1/8 - pf

1 PL. 28 9/16 × 1 × 4'-4 - pt

1 PL. pa (ON ±)

1 PL. 14 1/2 × 5/8 × 1'-2 - pa

8 - 3 1/2 × 1φ + EXTRA WASH
4 - 2 3/4 × 1φ

8 - 2 3/4 × 1φ + EXTRA WASH

14 - 6 × 1φ
12 - 5 1/4 × 1φ

3 - 2 1/2 × 3/8

2 LS - 30 kc

12 - 4 × 1φ + EXTRA WASH

12 - 4 1/2 × 1φ
12 - 4 × 1φ
7 - 3 × 1φ
+EXTRA WASHERS

1 PL. 4 1/4 × 1/2 × 1'-3 1/4 - ph

5 - 2 1/2 × 1φ

1 PL. pm

L3 × 3 × 1/4 × 1'-10 - ab

1 PL. pm

1 PL. ps

1 PL. pp
5@3 = 1'-3

1 PL. 30 1/2 × 1 × 5'-3 3/8 - pm

1 PL. 10 × 7/8 × 4'-2 - pn

1 PL. 7 3/4 × 1/2 × 1'-9 1/2 - ps

1 PL. 10 × 7/8 × 4'-2 - PP
HOLES 5 1/2 c/c

'SOUTH'

GA - 11 1/2

W 22 3/8 × 178 kg/m × 3/16 × 730 × 26'-3 (M.I.E) A572 GR50 (P1/20)

SECTION A-A
SECTION C-C

SECTION B-B

SECT'N. D-D

FIELD BOLTS	
14 - 6 × 1φ A490	12 - 2 3/4 × 1φ A490
12 - 5 1/4 × 1φ	5 - 2 1/2 × 1φ A490
24 - 4 1/2 × 1φ	3 - 2 1/2 × 3/8 A325
48 - 4 × 1φ	
8 - 3 1/2 × 1φ	
14 - 3 × 1φ A490	137 - 1φ A325 - FLAT WASHERS

DETAIL MATL - G40.21 44W.
E70XX ELECTRODES
ALL 1φ A490 BOLTS TO HAVE 2 WASHERS
REF DIAG. EG & E7 121 MAR 22/85

FOR 1φ A490 BOLTS

ONE COL - A127 (67)
(DIV 0710 4TH DFT)

REVISED		
DATE	BY	OPEN HOLES 13/16φ
DATE	BY	PAINT
DATE	BY	ERECTED BY
DATE	BY	FIELD PAINT
DATE AUG 12/85	BY GM	INSPECTION

F.W. NOTE 0

7 WORLD TRADE CENTRE
47 STOREY OFFICE BLDG
TISHMAN CONSTRUCTION CUSTOMER
EMERY ROTH & SONS P.C. ARCHITECT
IRWIN G. CANTOR, P.C. ENGINEER

FRANKEL STEEL LIMITED
220 ATTWELL DRIVE UNIT 1 REXDALE, ONTARIO M9W 5B2

SQUAD F.R.
MADE BY AK DATE Feb 85 CHKD. BY ACS DATE MAR/85
CONT. No. 84-15 SHEET 127