ONE ~ W14⁵/₈ × 14³/₄ × ⁵/₈ @ 132 × 57'-8³/₄ E/E A572 GR.50 (11/19)

EL. 300'-3 | 3'-0 | 1 | EL. 309'-3 | 12'-4½ | 2 | ~~EL. 320'-4~~ EL 321'-7½ | 12'-10½ | 3 | 28'-3 EL. 334'-6 | 12'-10 | 4 | 41'-1 EL. 347'-4 | 14'-3 | 5 | 55'-4 EL. 361'-7 (T.O. STEEL)

'WEST'

TYP. 5/8" RET. @ TOP

W24¾ × 146 (FLG.) — 1-PL 7¼ × ¾ × 1'-5 - pd — 10-1"ϕ × 3

W24⅛ × 84 (FLG.) — 1-PL 4¼ × ½ × 1'-3 - pb — 5-⅞"ϕ × 2½

W24⅛ × 84 (FLG.) — 1-PL 4½ × ½ × 1'-3½ - ph — 5-1"ϕ × 2¾

1/16 ϕ HLS. FOR 1"ϕ (A490) BOLTS

22-1"ϕ × 3¾

W24 × 55 (FLG.)

MATCH - G245Y

MATCH - N244X

MATCH -

Approved Note 1: 250K A.P. to J.W. Apr. 9/85

2-L⁵ 4 × 3 × ⅜ × 1'-0 - ab (7/16" B/B ABT. ϕ)

4-⅞"ϕ × 2½

1-PL pc — 18-1"ϕ × 3½

1-PL pa — 8-1"ϕ × 3¼

1-PL pa — 8-1"ϕ × 3¾

1-PL 13½ × ⅞ × 2'-4¾ - pc — 18-1"ϕ × 4½

1-PL 9 × ¾ × 1'-1¾ - pa — 8-1"ϕ × 3¾

NOTE: 'BREAK IN GAGE'

W12 × 19 (F/S WEB) — 6-⅞"ϕ × 2½ (WEB)

TYP. 4/N

2-PL⁵ pf — 2-PL⁵ 7 × ⅞ × 11½ - pf

1-PL pg — 8-1"ϕ × 3¼

1-PL pg — 8-1"ϕ × 3¼

1-L 3 × 3 × ¼ × 0'-8 - aa N/S

1-L aa N/S

L - ha N/S
L - hb F/S
7-⅞"ϕ × 2¾

L - hc N/S
L - hd F/S
6-⅞"ϕ × 2¾

1-PL 9 × ¾ × 1'-2 - pg — 8-1"ϕ × 3¾

1-PL pb — 5-⅞"ϕ × 2½

1-PL pb — 5-⅞"ϕ × 2½

L⁵ - ab

1-L 4 × 3 × ⅜ × 1'-9 - ha (BENT)

1-L 4 × 3 × ⅜ × 1'-9 - hb (BENT)

SECT'N 'A-A'

W26¾ × 84 (FLG.) (SKEWED) (REF.)

W24⅛ × 84 (FLG.) (SKEWED)

W24⅛ × 84 (FLG.) (SKEWED)

W24⅛ × 84 (FLG.) (SKEWED)

5/16 5/8" RET. @ TOP

15'-4½ 321'-7½ EL. ~~320'-4½~~

42'-7 EL. 348'-6

51'-4 5@3'-1'-3 1¾

51'-4

1-PL pc — 1-PL pd — 1-PL pf — 1-L 4 × 3 × ⅜ × 1'-6 - hc (BENT) — 1-L 4 × 3 × ⅜ × 1'-6 - hd (BENT)

SECT'N 'B-B'

1-PL pa — 1-PL pg — 1-PL pb

SECT'N 'C-C'

SECT'N 'D-D'

ONE ~ HANGER - A169 (27A)
(DIV. 0012)
(1ST LIFT)

FIELD BOLTS

28 - ⅞"ϕ A325 × 2½
13 - ⅞"ϕ A325 × 2¾
10 - 1"ϕ A490 × 3
32 - 1"ϕ A490 × 3¼
18 - 1"ϕ A490 × 3½
76 - 1"ϕ A490 × 3¾
18 - 1"ϕ A490 × 4¼
5 - 1"ϕ A490 × 2¾
160 - 1"ϕ FLAT HARD. WASHER'S

NOTES:
CONN. MAT'L - G40.21 GR. 44W
ELECTRODES - E70XX
ALL 1"ϕ A490 BOLTS TO HAVE 2 WASHERS

REF: DIAG'S E1 THRU E8 & E119

Mar 27/85 R
Mar 22/85

REVISED		OPEN HOLES 16 ϕ H/N	SOUTH WALL 'HANGER' (27A) FLR'S 1 TO 5	FRANKEL STEEL LIMITED
DATE ____ BY ____		PAINT	7 WORLD TRADE CENTRE	220 ATTWELL DRIVE UNIT 1 REXDALE, ONTARIO M9W 5B2
DATE ____ BY ____		ERECTED BY	TISHMAN CONSTRUCTION — CUSTOMER	SQUAD FR
DATE ____ BY ____		FIELD PAINT	EMERY ROTH & SONS P.C. — ARCHITECT	MADE BY MH DATE MAR'85 CHKD. BY MK DATE MAR 85
2 DATE Apr. 2 BY JM		INSPECTION	IRWIN G. CANTOR P.C. — ENGINEER	CONT. No. 84-16 SHEET 169
1 DATE 27 Mar BY ES				