


BILL OF MATERIAL

LINE	CODE	COMMX SHIP DIVN.	PIECE MARKS MAIN MAT'L.	PIECE MARKS DETAIL MAT'L.	NO. OF PIECES	MATERIAL DESCRIPTION PL.	WIDTH Inch	WIDTH 16th	X PLATE ONLY	THK. In.	THK. 16th	GRADE CODE	DSOR	FINISHED LENGTH Feet	FINISHED LENGTH In.	FINISHED LENGTH 16th	PAGE	LINE	REMARKS
01																			
02					FOD1														
03																			
04				PA	2		6	12	X		1	8	A572 GR50		6	10	0	125	6
05				AA	1	L	4		x 3 x 3/8				44W		1	8	8		
06				AB	1	L	4		x 3 x 3/8				44W		1	8	8		
07				AC	1	L	4		x 4 x 3/8				44W		1	8	8		
08				AD	1	L	5		x 5 x 3/8				44W		1	8	8		
09					1	IF		7/16							8	6	3		
10					1	IF		3/8							27	4	0		
11		0028	A430		1	W	27	x 161					A572 GR50		49	1	4	47	12
12																			
13					FOD1														
14				AG	1	L	4		x 3 x 3/8				44W		1	7	0		
15				AH	1	L	4		x 3 x 3/8				44W		1	7	0		
16				AK	1	L	4		x 4 x 3/8				44W		1	6	0		
17				AM	1	L	5		x 5 x 3/8				44W		1	6	0		
18					1	IF		5/16							8	0	0		
19		0028	B430		1	W	27	x 161					A572 GR50		45	10	6	47	13
20																			
21																			
22																			
23																			
24																			
25																			
26				TOTAL	17				TOTAL						151				
01																			
02																			
03																			
04																			
05																			
06																			
07																			
08																			
09																			
10																			
11																			
12																			
13																			
14																			
15																			
16																			
17																			
18																			
19																			
20																			
21																			
22																			
23																			
24																			
25																			
26				TOTAL					TOTAL										

F.W NOTE

R E V.	1 DATE AUG 30, 85 BY HSS	SPEC. A572 GR 50	**FRANKEL STEEL LIMITED**		
	2 DATE BY	HOLES 13/16 Ø	220 ATTWELL DRIVE, UNIT 1, REXDALE, ONTARIO M9W 5B2		
	3 DATE BY	FINISH			
MADE 27 EV	DATE FEB. 85	SQUAD F.R.	PROJECT: 7 WORLD TRADE CENTER	CONTRACT 84-15	DWG.No. 430
CHK'D. 28 JDP	DATE APRIL 85		DETAIL: BEAMS @ 5TH FLOOR ELEV. 361'-7		

Apr 4/85