
ONE-BEAM-A605 (DIV 0706)



FIELD BOLT SUMMARY

12 - 7/8ϕ A325 x 2
6 - 7/8ϕ A325 x 2 3/4
6 - 7/8ϕ A325 x 3 1/4
12 - EXTRA WASH (7/8ϕ A325)

- ALL DETAIL MAT'L - G40.21 (44W) U/N.
- ALL WELD E70XX ELECTRODES.
- ALL 1"ϕ A490 BOLTS TO HAVE 2 WASH-EA.
- REF DIAGS: E7, E119, 976, 929.

REVISED		For 1"ϕ A490 Bolts: 13/16ϕ H/N		
DATE ___ BY ___	OPEN HOLES		7 WORLD TRADE CENTRE	FRANKEL STEEL LIMITED
DATE ___ BY ___	PAINT	—	47 STOREY OFFICE BLDG.	220 ATTWELL DRIVE UNIT 1 REXDALE, ONTARIO M9W 5B2
DATE ___ BY ___	ERECTED BY	—	TISHMAN CONSTRUCTION. CUSTOMER	SQUAD FR.
DATE ___ BY ___	FIELD PAINT	—	EMERY ROTH & SONS P.C. ARCHITECT	MADE BY JS DATE APR'85 CHKD. BY AHS DATE Apr 85
DATE ___ BY ___	INSPECTION	—	IRWIN G. CANTOR P.C. ENGINEER	CONT. No. 84-15 SHEET 605

Apr 27/85