



DETAIL 1/912

- WIND GIRDER CONN. @ COL. 66 -

3RD. FLR. SOUTH ELEVATION (CORE) - DIAG. E121.



DETAIL 2/912

- WIND GIRDER CONN. @ COL. 66 -

2ND. FLR. SOUTH ELEVATION (CORE) - DIAG. E121

BOLTS - 1" A490

DETAIL MAT'L. G40.21 44W.

REVISED	
DATE ____ BY ____	OPEN HOLES 11/16" N.
DATE ____ BY ____	PAINT NONE.
DATE ____ BY ____	ERECTED BY
DATE FEB 18 1985 BY KBN	FIELD PAINT
DATE JAN 22 BY KBN	INSPECTION
7 WORLD TRADE CENTER.	
LAYOUT AT COL. 66 ELEV. 334'-0	
TISHMAN CONSTRUCTION — CUSTOMER	
EMERY ROTH & SONS P.C. — ARCHITECT	
SYSKA & HENNESSY — ENGINEER	

2 REVISED AS PER ENGINEER'S (MK-24) INSTRUCTIONS.
1 DET. 2 ADDED - DET. 1 REVISED TO SUIT 1ST APPROVAL

FRANKEL STEEL LIMITED
220 ATTWELL DRIVE UNIT 1 REXDALE, ONTARIO M9W 5B2

SQUAD F.R.
MADE BY KBN DATE JAN 85 CHKD. BY D.I DATE FEB 85
CONT. No. 84-15 SHEET 912 2