




SEE 91











DIV. / MARK	0918	1118	1318	1518	1718	1918	2118	0917	1117	1317	1517	1717	1917	2117
A3003	2	2	2	2	2	2	1							
B3003	2	2	2	2	2	2	1							
C3003	2	2	2	2	2	2	1							
D3003	2	2	2	2	2	2	1							
G3003								2	2	2				
H3003											2	2		
K3003													2	2
BA3003							1							
BD3003							1							

FIELD BOLTS

140 - 7/8 Φ A325 X 2

SHOP NOTES:

MAT'L AS NOTED

USE E70 SERIES ELECTRODES

REF. DWG. E8, TO E21, 901, 9101

COMP. QUAN.	WEIGHT	NO. PCS.	ASSEM. MK.	SHAPE	LENGTH	REMARKS	SHOP OPER.	ORDERED
		13	A3003	W16 X 31	34 9 3/8	A572 GR50		1/4
		ONE	BA3003	⊥	34 9 3/8			5/21
		13	B3003	W16 X 31	39 2 5/8			1/21
		13	C3003	W14 X 22	28 2 1/4			1/6
		13	D3003	W16 X 26	37 7 1/4			1/3
		ONE	BD3003	⊥	37 7 1/4	⊥		1/3
		28	Pa	℄ 4 5/8 X 3/8	1 0 1/4	A36		
		6	G3003	W16 X 26	39 2	A572 GR50		1/8
		12	300a	L 3 X 3 X 5/16	0 8 1/2	A36		
		6	ha	℄ 6 X 3/8	0 7 1/2	⊥ (BENT)		
		4	H3003	W16 X 26	39 2	A572 GR50		1/8
		8	300a	L				
		4	ha	℄				
		4	K3003	W16 X 26	39 2	A572 GR50		1/8
		8	300a	L				
		4	ha	℄				

May 6/05

REVISIONS

STEEL STRUCTURES CORP.

☐ MAIN OFFICE
120 PLEASANT AVE.
P.O. BOX 98
UPPER SADDLE RIVER, N.J. 07458

☐ SUBSIDIARY
BETHLEHEM IRON WORKS, INC.
3135 SCHOENERSVILLE RD.
P.O. BOX 2307
BETHLEHEM, PA. 18001

BEAMS 8TH TO 21ST FL.
7 WORLD TRADE CENTER
NEW YORK

BOLTS 7/8 Ø (A325) HOLES 15/16 Φ U/N
PAINT SSPC SP2 (NO PAINT)

DRAWN BY H.S.S / T.T.
CHECK BY E.S.
IN CHARGE OF F.R

CONT. NO. C1275
SH. NO. 3003