














MARK \ DIV.	1508	1708	2111	2108
A3045	2			
B3045			2	
C3045			1	
D3045				2
G3045				1
H3045		1		
K3045		1		
M3045	1			

SHOP NOTE

MATERIAL - AS NOTED.
USE E70 ELECTRODES.
DIM. IN BRACKETS ARE BASED ON ACCURATE BEAM SIZES.
REF. DWG'S - E 14/15, E 16/17, E 21, 901, 9115, 9100

FIELD BOLTS

19 - ⅞ ø (A325) x 2

COMP. QUAN.	WEIGHT	NO. PCS.	ASSEM. MK.	SHAPE	LENGTH	REMARKS	SHOP OPER.	ORDERED
		2	A3045	W 12 x 19	20 0	A572GR50		3/9
		2	B3045	W 14 x 22	30 8	⊥		3/3
		4	210a	L 3 x 3 x 5/16	0 8½	A36		
		ONE	C3045	W 14 x 22	30 8	A572GR50		9/14
		2	210a	L		A36		
		2	D3045	W 12 x 19	20 0	A572GR50		3/9
		ONE	G3045	⊥	20 0			3/9
		ONE	H3045	W 16 x 31	30 8			9/10
		2	ma	L 4 x 3 x 5/16	0 8½	A36		
		ONE	K3045	W 16 x 31	30 8	A572GR50		9/10
		ONE	pa	R 5 x ⅜	0 10¼	A36		
		2	ma	L		⊥		
		ONE	M3045	W 12 x 19	20 0	A572GR50		3/9

June 12/85

REVISIONS
⚠ Ga ADDED JUL. 16/85 CALLED B.C.

STEEL STRUCTURES CORP.

□ MAIN OFFICE
120 PLEASANT AVE.
P.O. BOX 98
UPPER SADDLE RIVER, N.J. 07458

□ SUBSIDIARY
BETHLEHEM IRON WORKS, INC.
1700 RIVERSIDE DRIVE
BETHLEHEM, PA. 18015

BEAMS – 15 TH, 17 TH & 21 ST. FLOORS
7 WORLD TRADE CENTER
NEW YORK

BOLTS ⅞ ø (A325) HOLES 15/16 ø
PAINT SSPC SP2 (NO PAINT)
DRAWN BY T.T
CHECK BY H.W JUNE 3/85
IN CHARGE OF
CONT. NO. C1275
SH. NO. 3045