





A3050	-8 3/8	2 ~ W12'8 x 4 x 1/4 @ 19	x 18'-10 1/8 -8
B3050	-8 3/8	2 ~	x 18'-10 1/8 -8
C3050	-8 1/4	2 ~ ⊥	x 18'-10 3/8 -7 7/8




SECT. A-A



G3050	-8 1/2 (37TH FL.)	ONE ~ W12'8 x 19 x 18'-9 5/8	-8 3/8



SECT. B-B



D3050	-8 7/8 (31ST FL.)	ONE ~ W13 3/4 x 5 x 1/4 @ 22	x 18'-8 7/8 -8 3/4

COMP. QUAN.	WEIGHT	NO. PCS.	ASSEM. MK.	SHAPE	LENGTH	REMARKS	SHOP OPER	ORDERED
		2	A3050	W12 x 19	18 10 1/8	A572 GR50		10/32
		2	B3050	⊥	18 10 1/8	⊥		10/32
		2	C3050	⊥	18 10 3/8	⊥		10/33
		6	Pa	PL 4 3/4 x 3/8	0 6 3/4	A36		
		6	Pb	PL 4 3/4 x 3/8	0 11 3/8	⊥		
		1	D3050	W14 x 22	18 8 7/8	A572 GR50		11/20
		1	G3050	W12 x 19	18 9 5/8	A572 GR50		11/8
		1	Pb	PL 4 3/4 x 3/8	0 11 3/8	A36		

FIELD BOLTS
61-7/8ϕ A325 x 2

SHOP NOTES
MAT'L AS NOTED
E70 SERIES ELECTRODES
REF. DWG. E30/31, E32/33, E34/35
901, 9154 E36/37

MARK / DIV.	3315	3515	3715	3112	3712
A3050	2				
B3050		2			
C3050			2		
D3050				1	
G3050					1

REVISIONS

STEEL STRUCTURES CORP.

☐ MAIN OFFICE
120 PLEASANT AVE.
P.O. BOX 98
UPPER SADDLE RIVER, N.J. 07458

☐ SUBSIDIARY
BETHLEHEM IRON WORKS, INC.
1700 RIVERSIDE DRIVE
BETHLEHEM, PA. 18015

BEAMS (31ST TO 37TH FLR.)

7 WORLD TRADE CENTER
NEW YORK

BOLTS 7/8ϕ A325 HOLES 15/16ϕ
PAINT SSPC SP2 (NO PAINT)
DRAWN BY SF
CHECK BY D.Z. JULY 24/85
IN CHARGE OF F R
CONT. NO. C1275
SH. NO. 3050