


35'-6 1/16	A
35'-6 1/4	B
35'-6 7/16	C
35'-6 5/8	D
35'-6 13/16	G
35'-6 15/16	H
35'-7 1/16	K
35'-7 3/16	M




1 1/4 CAMBER (+0,-1/4)

A3065	-2 3/4	2 - W15 7/8 x 5 1/2 x 1/4 @ 31 x 35'-7 7/8		-9 7/16
B3065	-2 3/4	2 -	35'-8	-9 5/16
C3065	-2 3/4	2 -	35'-8 1/4	-9 1/16
D3065	-2 3/4	2 -	35'-8 3/8	-8 15/16
G3065	-2 3/4	2 -	35'-8 5/8	-8 11/16
H3065	-2 3/4	2 -	35'-8 3/4	-8 9/16
K3065	-2 3/4	2 -	35'-8 7/8	-8 7/16
M3065	-2 3/4	2 -	35'-9	-8 5/16







MARK \ DIV	2315	2515	2715	2915	3115	3315	3515	3715	2503	2703	2903	3103	3303	3503	3703
A3065	2														
B3065		2													
C3065			2												
D3065				2											
G3065					2										
H3065						2									
K3065							2								
M3065								2							
N3065		2	2	2	2	2	2	2							
P3065		2	2	2	2	2	2	2							
S3065									2	2	2	2	2	2	2
T3065									2	2	2	2	2	2	2
U3065									2	2	2	2	2	2	2
W3065									2	2	2	2	2	2	2
X3065									2	2	2	2	2	2	2
BN3065	2														
BP3065	2														

Field Bolts

64 - 7/8ø (A325) x 2

Shop Note

Mat'l - As Noted
Use E70 Series Electrodes
Ref Dwg.'s - E22 to E37, 9154, 9160, 9157
Dimensions - In Brackets Are Base On Accurate Beam Sizes.

COMP. QUAN.	WEIGHT	NO. PCS.	ASSEM. MK.	SHAPE	LENGTH	REMARKS	SHOP OPER.	ORDERED
		2	A3065	W 16 x 31	35 7 7/8	A572GR50		20/9
		2	B3065		35 8			20/10
		2	C3065		35 8 1/4			20/11
		2	D3065		35 8 3/8			20/12
		2	G3065		35 8 5/8			20/13
		2	H3065		35 8 3/4			20/14
		2	K3065		35 8 7/8			20/15
		2	M3065	⊥	35 9			21/16
		14	N3065	L 6 x 4 x 3/8	10 0 3/4	⊥		20/25
		56	ma	L 4 x 3 x 5/16	0 4	A36		
		14	P3065	L 6 x 4 x 3/8	9 11 1/8	A572GR50		20/25
		56	ma	L		A36		
		14	S3065	W 14 x 22	28 7 5/8	A572GR50		13/35
		14	T3065	W 14 x 26	31 3 5/8			13/30
		14	U3065	⊥	30 5 1/2			13/29
		14	W3065	W 14 x 22	29 6 3/8			13/26
		14	X3065	⊥	29 11 1/8			31/3
		2	BN3065	L 6 x 4 x 3/8	10 0 1/2	⊥		20/25
		8	ma	L		A36		
		2	BP3065	L 6 x 4 x 3/8	9 10 7/8	A572GR50		20/25
		8	ma	L		A36		

Aug 15/85

REVISIONS

STEEL STRUCTURES CORP.

□ MAIN OFFICE
120 PLEASANT AVE.
P.O. BOX 98
UPPER SADDLE RIVER, N.J. 07458

□ SUBSIDIARY
BETHLEHEM IRON WORKS, INC.
1700 RIVERSIDE DRIVE
BETHLEHEM, PA. 18015

BEAMS - 22ND. TO 37TH. FLOOR

7 WORLD TRADE CENTER
NEW YORK

BOLTS 7/8ø (A325) HOLES 15/16ø
PAINT SSPC SP2 (NO PAINT)

DRAWN BY T.T.	CONT. NO. C1275
CHECK BY D.Z. JULY 30/85	
IN CHARGE OF	SH. NO. 3065