




















COMP. QUAN.	WEIGHT	NO. PCS.	ASSEM. MK.	SHAPE	LENGTH	REMARKS	SHOP OPER.	ORDERED
		ONE	A3100	W 14 X 26	5 5½	A572 GR50		16/14
		2	210a	L 3 X 3 X 5/16	0 8½	A36		
⚠		4	ma^L	L 7 X 4 X 3/8	0 10	A36		
		1	mb	W 14 X 22	2 3¼	A572 GR50 (S.I.E)		STOCK
⚠		12	a	⅞ Φ (A325) BOLT	2½			
		6	B3100	W 12 X 14	9 3½	A572 GR50		25/4
		13	B3100	W 12 X 14	9 3½	A572 GR50		16/9
		ONE	C3100	⊥	9 3½	⊥		⊥
		20	Pa	Pt 4⅞ x 3/8	0 10¼	A36		
		ONE	G3100	FRAME				
		1	mc	W 12 X 14	10 0	A572 GR50		16/16
		1	mg	C8 x 11.5	2 0⅞	((S.P.E.)		16/19
		1	mk	W 12 x 14	4 1⅝	(S.I.E.)		16/17
		1	mm	C8 x 11.5	4 1⅝	⊥ (S.I.E.)		29/6

DIV. / MARK	2503	2703	2903	3103	3303	3503	3703	3903	4103	4303
A3100	1									
B3100	1	2	2	2	2	2	2	2	2	2
C3100	1									
G3100	1									

FIELD BOLTS

60 - ⅞ Φ H.T. BOLT (A325) X 2

SHOP NOTES:

MAT^L AS NOTED

USE E70 SERIES ELECTRODES

REF DWG. E24 TO E43, 901

ONE - FRAME REQD - G 3100

Sept 23/85

REVISIONS

⚠ A3100 REV. TO APPL SEPT 23/85 HSS

STEEL STRUCTURES CORP.

□ MAIN OFFICE
120 PLEASANT AVE.
P.O. BOX 98
UPPER SADDLE RIVER, N.J. 07458

□ SUBSIDIARY
BETHLEHEM IRON WORKS, INC.
1700 RIVERSIDE DRIVE
BETHLEHEM, PA. 18015

BEAMS & FRAMES (24TH TO 43RD FLR)
7 WORLD TRADE CENTER
NEW YORK

BOLTS ⅞ Φ (A325) HOLES 15/16 Φ
PAINT SSPC SP2 (NO PAINT)
DRAWN BY HSS
CHECK BY D.Z. AUG. 27/85
IN CHARGE OF F.R.
CONT. NO. C1275
SH. NO. 3100