



1 3/4" CAMBER (+0,-1/4)

*DIV 4505, A4499X, 2, W21X44, X44'-0 1/8, A572GR50, , P163/14,

*DIV 4805, A4499, 1, W21X44, X44'-0 A572GR50, , P186/19


(W20 5/8 X 6 1/2 X 3/8 @ 44)



2" CAMBER (+0,-1/4)


*DIV 4805, C4499X, 1, W21X50, X47'-2 , A572GR50, , P186/17

(W20 7/8 X 6, 1/2 X 3/8 @ 50)




*DIV 4805, G4499, 1, W16X26, X24-4 3/4, A572GR50, , P186/20,

(W15 3/4 X 5 1/2 X 1/4 @ 26)




SECT A-A



2" CAMBER (+0,-1/4)

*DIV 4805, B4499, 1, W21X44, X45'-6 3/8, A572GR50, , P186/18,


(W20 5/8 X 6 1/2 X 3/8 @ 44)



24" CAMBER (+0,-1/4)

*DIV 4805, D4499, 1, W21X50, X48'-8 5/8, A572GR50, , P186/16

(W20 7/8 X 6 1/2 X 3/8 @ 50)



2'4 CAMBER (+0,-1/4)

*DIV 4804, H4499X, 1, W24X55, X50'-4 3/8, A572GR50, , P186/15,

(W23 5/8 X 7 X 3/8 @ 55)

FIELD BOLTS

20-7/8Φ H.T BOLT X2 (A325F)

SHOP NOTES
MATERIAL AS NOTED
USE E70 SERIES ELECTRODES
REF. DWGS. E48E5 901,
(9183) E4

Feb 14/86

FOR 7/8 DIA. A325

R	3	DATE	BY	SPEC	AS NOTED
E	2	DATE	BY	HOLES	15/16 DIA
V	1	DATE 21/1/86	BY J	FINISH	NONE

R.D. H4322X

FRANKEL STEEL LIMITED
220 ATTWELL DRIVE, UNIT 1, REXDALE, ONTARIO M9W 5B2

MADE 27 HES	DATE 28/10/86	SQUAD FR	PROJECT: 7 WORLD TRADE CENTER	CONTRACT	DWG. NO.
CHK'D 28	DATE		DETAIL: BEAMS (ROOF)	84-153	4499