




BEAM TO COL. CONN @ (80)

8TH & 9TH FLOORS




W27 x 94 CONN TO COL (80) 10TH TO 20TH FL

W30 x 99 CONN TO COL (80) 21ST FL.




BEAM TO COL CONN @ (81)

8TH TO 11TH FLOORS




BEAM TO COL CONN. @ (70) (71)

@ 15TH FL. ONLY.



BEAM TO COL CONN @ (G2)

8TH TO 21ST FL.



BEAM TO COL CONN @ (5G)

21ST FL.

ALL BEAMS & GIRDERS A572 GR 50 U/N
ALL DETAIL MATL G40.21 - 44W
USE E70XX ELECTRODES.
ALL BOLTS 7/8 ϕ HT. A325
FRICTION VALUE - 10.5 KIPS/BOLT.

REVISED		OPEN HOLES 15/16 ϕ U/N
DATE ____ BY ____		PAINT
DATE ____ BY ____		ERECTED BY
DATE ____ BY ____		FIELD PAINT
DATE May 13/85 BY BF	To Approval (2)	INSPECTION
DATE Apr 18/85 BY HL	Rev As Shown (1)	

(70) & (71) July 8/85E

BEAM TO COL CONNS. @ COL'S (5G) (G2) (80) & (81)

7 WORLD TRADE CENTER

TISHMAN CONSTRUCTION CUSTOMER

EMERY ROTH & SONS P.C. ARCHITECT

IRWIN G CANTOR P.C. ENGINEER

FRANKEL STEEL LIMITED
220 ATTWELL DRIVE UNIT 1 REXDALE, ONTARIO M9W 5B2

SQUAD FR.
MADE BY HL DATE MAR 85 CHK'D. BY BF DATE MAR 26/85

CONT. No. 84-15 SHEET 9134